



**EURO RETAIL  
PRICE BOOK**

**AUGUST 1, 2020**



# TABLE OF CONTENTS

## **6 USB Digital-Audio Converters**

DragonFlys  
JitterBug  
USB Extenders and Adaptors

## **8 AC Power**

PowerQuest Power Conditioners  
Niagara Power Conditioners  
AC Power Cables  
    NRG Series  
    Wind Series  
    Storm Series  
Accessories

## **15 Speaker Cables**

Q2 and Type Series  
Rocket Series  
Folk Heroes  
    Robin Hood  
    William Tell  
Mythical Creatures  
    ThunderBird  
    FireBird  
    Dragon  
Accessories

## **26 Analog-Audio Interconnect Cables**

Bridges & Falls  
Rivers & Elements  
Accessories

## **30 Subwoofer Cables**

## **31 Tonearm Cables**

## **33 Vinyl and Headphone Accessories**

## **34 HDMI**

HDMI Cables  
Accessories

## **37 Digital-Audio Interconnect Cables**

USB Cables  
Optical Cables and Accessories  
Digital Coax Cables and Accessories  
AES/EBU Cables  
Ethernet Cables (RJ/E)

## **44 Accessories**

## **48 Tools**

## **49 Instant Tool-less Connectors (ITC)**

## **50 Bulk Cables**

In-Wall Rated  
Non-Rated Speaker Cables  
SureGrip® Speaker Connectors  
Spade, Pin, and Banana Connectors  
In-Wall Rated Analog-Audio Bulk Cables  
CAT6 and CAT7 Ethernet Bulk Cables

## **56 Installer Packs**

## **58 Point of Purchase and Promotional Items**

## **61 Index**

## Terms and Conditions

- Prices are subject to change without notice.
- All prices are in Euro.
- As used throughout this price book, "Retail" carries the same meaning as Suggested Retail Price (SRP).

## Returns

- All returns are subject to approval by AudioQuest.
- Built-to-order products may not be returned.
- All sales are final for custom speaker cables produced at 2m or less.
- A Return Merchandise Authorization (RMA) number must be issued by AudioQuest before any product may be returned.
- The RMA number must appear on the outside of the shipping carton, near or on the address label.

## Contact Information

AudioQuest  
Hoge Bergen 10  
4704 RH Roosendaal  
The Netherlands  
[www.audioquest.com](http://www.audioquest.com)  
Tel: +31 165 54 1404

Email orders and related correspondence: [orders@audioquest.nl](mailto:orders@audioquest.nl)

Email all other correspondence to: [info@audioquest.nl](mailto:info@audioquest.nl)

Copyright © 2020 AudioQuest.

All rights reserved.

E & OE. In the interests of continuous product improvement, all specifications are subject to change without notice.

# AudioQuest: Doing No Harm Since 1980



**William (Bill) Low**  
Founder / CEO

For 40 years now, AudioQuest, headquartered in Irvine, California, has been a leading developer, manufacturer, and distributor of high-performance audio/video products and custom-install solutions. Although best known for our comprehensive range of analog, digital, and AC power cables, our portfolio has expanded to a diverse assortment of products, including the multi-award-winning DragonFly DACs, and Niagara and PowerQuest power products.

Our ultimate goal is the same today as it was 40 years ago: Do No Harm! By this we mean that all cables and components, to the extent that is technologically feasible, should get out of the music's way by inducing the least amount of noise and distortion.

## The Evolution Continues: The Four Elements Today

While minimizing noise and damage to the audio signal remains the North-Star constant, the ways in which we engage these challenges always evolves. While there are still Four Elements that describe our foundational materials and design philosophies, a growing number of technologies cross and even go beyond our original Four Elements. Many have become crucial enough to demand visibility. Noise-Dissipation is an umbrella Element under which many of these meaningful techniques and technologies will reside. While Geometry is no longer identified as one of The Four Elements, it remains inextricably tied to all other Elements of cable design and manufacture.


**Solid Conductors:** Strand interaction remains the biggest potential source of distortion in cables. Solid Conductors are the aspirational ideal and most complete solution to this problem. However, thoughtfully arranged multi-conductor geometries such as concentric windings are used to create our Semi-Solid Conductor technologies. These avoid many strand-distortion mechanisms and are in their own right ideal in a growing number of applications.

**Metals:** Higher-purity conductor metals with smoother surfaces and internal crystal structures greatly reduce noise and distortion. Carefully finessed mixes of metals and conductor sizes can be effectively used to define a cable's Sonic Signature—a cost-effective technique for high-value, high-performance models.

**Noise-Dissipation:** Unwanted Radio-Frequency (RF) noise is and has always been picked up and induced into cable. This contamination ultimately masks and distorts critical portions of the audio/video signal. As this distortion-causing (parasitic) RF signal is more present today than at any previous time in history, we must depend on a wider arsenal of Noise-Dissipation technologies:

- Directionally Controlled conductors minimize high-frequency noise by “directing” or draining it away from the most vulnerable circuits.
- ZERO Technology (No Characteristic Impedance) applies Ultra-Linear Noise-Dissipation across the widest range of frequencies possible. It also enables uncompressed transient current transfer for AC power and loudspeaker/power amplifier applications.
- Ground-Noise Dissipation (GND) cancels induced RF noise via its unique phase-cancelling array.
- Tried-and-true DBS has evolved to include RF-Noise Traps that further reduce dielectric distortion and induced noise.

**Dielectric:** Insulation is necessary between conductors to minimize signal interaction and electrical shorts. The ideal is virtually no dielectric interaction (such as is achieved with our ZERO Technology). However, by optimizing the dielectric material between signal conductors, this distortion is greatly minimized.



Solid Conductors

Metal

Noise-Dissipation

Dielectric

# DragonFly

## Naturally beautiful sound at your fingertips—whenever and wherever you want it

With today's smartphones, tablets, and computers, music and videos are far more accessible than ever before.

Unfortunately, the digital-to-analog converters (DACs) inside these devices are highly compromised, even when the sample-rate numbers (24/192, etc.) look impressive. These built-in DACs may make audible sound, but they don't make beautiful music.

A DragonFly bypasses the compromised audio circuitry within these devices to deliver naturally beautiful sound to earbuds, headphones, desktop speakers, or complete audio systems.

Whether using a free streaming service, premium High-Resolution or MQA-encoded streaming (such as Tidal Masters), or playing MP3 files or videos, all DragonFlies make these experiences much more compelling and immersive.

DragonFly Black delivers great performance and value. Red ups the game with more power, more grip, and deeper sonic immersion. Now, DragonFly Cobalt, with its more advanced processor, microcontroller, and RF noise filtering, provides even greater clarity, dynamics, and finesse than previously possible.



## DragonFly DAC + Preamp + Headphone Amp

- Plays all music files: MP3 to High-Res and MQA
- Compatible with Apple® and Windows® PCs
- Compatible with iOS devices (requires Apple Lightning to USB 3 Camera Adaptor)
- Compatible with Android devices (requires DragonTail or other USB Adaptor for Android Devices)
- Bit-perfect variable output drives headphones, powered speakers, or power amp
- Fixed output feeds preamp or receiver




|                       | DragonFly Black                                                               | DragonFly Red                                      | DragonFly Cobalt                                                                      |
|-----------------------|-------------------------------------------------------------------------------|----------------------------------------------------|---------------------------------------------------------------------------------------|
| Output                | 1,2 volts                                                                     | 2,1 volts                                          |                                                                                       |
| DAC Chip              | ESS ES9010 with minimum-phase fast roll-off filter                            | ESS ES9016 with minimum-phase fast roll-off filter | ESS ES9038Q2M DAC chip with minimum-phase slow roll-off filter for more natural sound |
| Volume Control        | Analog Volume Control                                                         | 64-Bit Bit-Perfect Digital Volume Control          |                                                                                       |
| Desktop Compatibility | Windows 7 and later; Apple 10.6.8 and later; Linux (no tech support provided) |                                                    |                                                                                       |
| Mobile Compatibility  | Apple iOS 5 and later; Android 5.0 and later                                  |                                                    |                                                                                       |
| Included Adaptor      |                                                                               |                                                    | DragonTail A to C Adaptor                                                             |
| Accessories           | Protective Endcap, Leatherette Pouch                                          |                                                    |                                                                                       |
| Dimensions            | 62mm (l) x 19mm (w) x 12mm (h)                                                | 62mm (l) x 19mm (w) x 12mm (h)                     | 57mm (l) x 19mm (w) x 12mm (h)                                                        |
|                       | Euro Retail: 99,00                                                            | Euro Retail: 199,00                                | Euro Retail: 299,00                                                                   |

## JitterBug USB Data and Power Noise Filter



- Dual Discrete Noise-Dissipation Circuits
- Reduces the noise and ringing that plague both the data and power lines of USB ports
- Measurably reduces jitter and packet errors
- Improves dynamic contrast, warmth, and resolution
- Use JitterBug in series with almost any USB DAC, including DragonFlies Black and Red, or in parallel with DragonFly Cobalt



**Euro Retail: 69,00**

## USB Extenders and Adaptors

DragonTail USB Extenders feature 5% Silver Solid Conductors and are Direction-Controlled for reduced RF noise.



### DragonTail USB A 2.0 Extender

Female USB A to Male A

**Euro Retail: 29,95**



### DragonTail USB A to Micro Adaptor

Female USB A to Male Micro

**Euro Retail: 29,95**



### DragonTail A to C Adaptor

(included with DragonFly Cobalt)

**Euro Retail: 29,95**

# AC Power Conditioners

## Niagara and PowerQuest: Low-Z Power | Noise-Dissipation Systems

### *Redefining the science of AC power conditioning*

What is a power conditioner and why is it necessary?

For some, a power conditioner is merely a device that provides enough outlets for the entire audio/video system while also protecting the connected devices from electrical storms and wiring faults. Yet, for the discriminating listener, many power conditioners can make an audio/video system perform far worse.

Yes, a home or building may have dimming lights or an occasional brown-out, and the utilities' AC sine wave is always far from perfect. However, where incoming power is concerned, there are two reasons an audio/video system does not perform up to its full potential: 1) The current transients that supply the power amplifier are compressed, and 2) The ever-increasing levels of radio-frequency noise are masking (covering up) the system's low-level signal content.

When compared to or measured against either Niagara or PowerQuest, a simple power bar or a dedicated AC wall outlet can lose up to a third of the low-level audio information that contain much of a recording's harmonics, imaging, high frequencies, and bottom-end grip—and once that information is gone, it's gone forever.

AudioQuest's Niagara and PowerQuest technologies are unique amongst all power products—whether they're isolation transformers, AC regenerators, battery back-up, re-clocking devices, or other types. Niagara and PowerQuest filters and Ground-Noise Dissipation work evenly, or linearly, across a far wider range of induced noise frequencies. Additionally, Niagaras 3000, 5000, and 7000 feature Transient Power Correction, which supplies a current reservoir to greatly bolster the performance of any power amplifier.





|                                                             | PowerQuest 2                                                                         | PowerQuest 3                                                                        | Niagara 1200                                                                                                 | Niagara 3000                                                                       | Niagara 5000                                                                                     | Niagara 7000                                                                                     |
|-------------------------------------------------------------|--------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
| <b>Linear Noise-Dissipation Technology</b>                  | More than 18 octaves of differential filtering                                       | More than 18 octaves of differential filtering;<br>14 octaves common-mode filtering | Level-X<br>More than 19 octaves of differential filtering                                                    | Level-X<br>More than 21 octaves differential-mode filtering                        | Level-X<br>More than 23 octaves differential-mode filtering;<br>16 octaves common-mode filtering | Level-X<br>More than 23 octaves differential-mode filtering;<br>20 octaves common-mode filtering |
| <b>Patented Ground-Noise Dissipation</b>                    | 1 outlet                                                                             | 2 outlets                                                                           | 2 banks (all outlets)                                                                                        | 3 banks (all outlets)                                                              | 6 banks (all outlets)                                                                            | 6 banks (all outlets)                                                                            |
| <b>Non-Sacrificial Surge Protection</b>                     | Withstands multiple AC surges and spikes up to 6000V/3000A without sustaining damage |                                                                                     | Sonically Non-Invasive; Withstands multiple AC surges and spikes up to 6000V/3000A without sustaining damage |                                                                                    |                                                                                                  |                                                                                                  |
| <b>Transient Power Correction</b>                           | N/A                                                                                  | N/A                                                                                 | N/A                                                                                                          | 55 amps peak;<br>Provides a current reservoir for any power amplifier (up to 25mS) | 80 amps peak;<br>Provides a current reservoir for any power amplifier (up to 25mS)               | 80 amps peak;<br>Provides a current reservoir for any power amplifier (up to 25mS)               |
| <b>Patented DBS Symmetrical Power Isolation Transformer</b> | N/A                                                                                  | N/A                                                                                 | N/A                                                                                                          | N/A                                                                                | N/A                                                                                              | 2 (source component outlet banks)                                                                |
| <b>Maximum RMS Current</b>                                  | 16 Amps (RMS) @ 220-240v                                                             | 16 Amps (RMS) @ 220-240v                                                            | 10 Amps (RMS) @ 220-240v                                                                                     | 10 Amps (RMS) @ 220-240v                                                           | 16 Amps (RMS) @ 220-240v                                                                         | 16 Amps (RMS) @ 220-240v                                                                         |
| <b>Outlets</b>                                              | 6 total:<br>(1) 4K/8K Video,<br>(3) Source,<br>(2) High-Current                      | 8 total:<br>(2) 4K/8K Video,<br>(4) Source,<br>(2) High-Current                     | 7 total:<br>(5) Source (including video),<br>(2) High-Current                                                | 7 total:<br>(5) Source (including video),<br>(2) High-Current                      | 12 total:<br>(8) Source (including video),<br>(4) High-Current                                   | 12 total:<br>(8) Source,<br>(4) High-Current                                                     |
| <b>USB-A Charging Ports</b>                                 | 2 high-speed ports<br>(3.4 amp capacity)                                             | 4 high-speed ports<br>(4.8 amp capacity)                                            | N/A                                                                                                          | N/A                                                                                | N/A                                                                                              | N/A                                                                                              |
| <b>Power Cable</b>                                          | Direction-Controlled Semi-Solid Concentric - 2,1m long                               |                                                                                     | Power cable not included - For optimal results use a cable that features ZERO and GND Technology             |                                                                                    |                                                                                                  |                                                                                                  |
| <b>Signal Line Protection</b>                               | N/A                                                                                  | Network                                                                             | N/A                                                                                                          | N/A                                                                                | N/A                                                                                              | N/A                                                                                              |
| <b>Dimensions</b>                                           | 393mm L x 80mm W x 153mm H<br>(Includes wall-mounting holes and detachable base)     | 393mm L x 80mm W x 188mm H<br>(Includes wall-mounting holes and detachable base)    | 493mm L x 81mm W x 190mm D                                                                                   | 445mm L x 88mm W x 386mm D<br>(2-RU rack mount kit included)                       | 445mm L x 133mm W x 437mm D<br>(3-RU rack mount kit on request)                                  | 445mm L x 133mm W x 437mm D<br>(3-RU rack mount kit on request)                                  |
| <b>Weight</b>                                               | 2,2 kg                                                                               | 2,5 kg                                                                              | 8,2 kg                                                                                                       | 11,3 kg                                                                            | 17,2 kg                                                                                          | 39 kg                                                                                            |
|                                                             | <b>Euro Retail: 249,00</b>                                                           | <b>Euro Retail: 349,00</b>                                                          | <b>Euro Retail: 999,00</b>                                                                                   | <b>Euro Retail: 2.999,00</b>                                                       | <b>Euro Retail: 4.999,00</b>                                                                     | <b>Euro Retail: 9.499,00</b>                                                                     |

# AC Power Cables


## Low-Z | Noise-Dissipation NRG, Wind, and Storm Series

The power cords that are supplied with most audio/video components have many admirable features. They're durable, flexible, small, and they will unfailingly supply the required AC voltage from the utilities' service tap for many years to come. They're also inexpensive.

Unfortunately, these "commodity" power cords were never up to the task of supplying sensitive components with the quality power they need. By this, we mean power that is unrestricted when delivering current transients to a power amplifier. The power cord must not add noise to the audio/video signal via RF (radio-frequency) noise that is induced into, or picked up by, the AV component. The ground lead is the worst offender in this regard, as it has no component power supply to help lessen the damage from the induced RF noise. Typically, the ground noise drains directly towards the component's signal path.

Even with an advanced AC power system like Niagara or PowerQuest, the AC cord is a branch of noise-dissipation system. Like plumbing, the RF noise must be drained away from the circuits upon which it could do harm. Many ask, if my wall wiring is so many yards in length, how can a 6-foot cord possibly matter? It matters for the same reason four square inches of mud and debris can back up a plumbing system or a rain gutter. The drainage or distribution of water currents and noise currents work in the exact same manner. They are one system.

With AudioQuest power cords and our unique technologies such as ZERO Tech (No Characteristic Impedance) and our patented GND (Ground-Noise Dissipation), you will experience greater dynamics, bass grip, extended high frequencies, and the blackest background you've ever heard.



## AC Power Cables: NRG Series

**C5**  
2,5A Maximum RMS  
Capacity @ 230VAC 50Hz



**C7**  
2,5A Maximum RMS  
Capacity @ 230VAC 50Hz



**C13**  
15A Maximum RMS Capacity  
@ 230VAC 50Hz



| Model               | NRG-X2                                   | NRG-Y2                                     | NRG-Z2                     | NRG-X3                                                                           | NRG-Y3                                     | NRG-Z3                                                                                    |
|---------------------|------------------------------------------|--------------------------------------------|----------------------------|----------------------------------------------------------------------------------|--------------------------------------------|-------------------------------------------------------------------------------------------|
| <b>Metal</b>        | Semi-Solid Concentric LGC                |                                            | Semi-Solid Concentric PSC+ | Semi-Solid Concentric LGC                                                        |                                            | Semi-Solid Concentric PSC                                                                 |
| <b>Gauge</b>        | 1,04mm <sup>2</sup> (2,5 Amp @ 220-240V) |                                            |                            | 1,31mm <sup>2</sup> (C13 Plug: 10 Amp @ 220-240v, C5 Plug: 2,5 amps @ 220-240v ) |                                            | 2,08mm <sup>2</sup> (10 Amp @ 220-240v)                                                   |
| <b>Technology</b>   | -                                        | ZERO Tech<br>(No Characteristic Impedance) |                            |                                                                                  | ZERO Tech<br>(No Characteristic Impedance) | ZERO Tech<br>(No Characteristic Impedance);<br>Patented GND<br>(Ground-Noise Dissipation) |
| <b>Jacket</b>       | Black PVC with Red Stripes               | Dark Gray/Black Braid                      | Dark Red/Black Braid       | Black PVC with Red Stripes                                                       | Dark Gray/Black Braid                      | Dark Red/Black Braid                                                                      |
| <b>Terminations</b> | Cold-Welded Connectors                   |                                            |                            |                                                                                  |                                            |                                                                                           |
| <b>Length</b>       | <b>Euro Retail</b>                       | <b>Euro Retail</b>                         | <b>Euro Retail</b>         | <b>Euro Retail</b>                                                               | <b>Euro Retail</b>                         | <b>Euro Retail</b>                                                                        |
| 1m                  | 65,00                                    | 99,00                                      | 189,00                     | 79,00                                                                            | 129,00                                     | 199,00                                                                                    |
| 2m                  | 79,00                                    | 129,00                                     | 239,00                     | 99,00                                                                            | 159,00                                     | 279,00                                                                                    |
| 3m                  | 95,00                                    | 159,00                                     | 289,00                     | 119,00                                                                           | 189,00                                     | 359,00                                                                                    |
| 4,5m                | 119,00                                   |                                            |                            | 149,00                                                                           |                                            |                                                                                           |
| 6m                  | 139,00                                   |                                            |                            | 179,00                                                                           |                                            |                                                                                           |





### C17

For components that use the ungrounded C17 connector, please use C13.  
The grounded male plug is necessary to make use of our Noise-Dissipation System.

Note: NRG-X3 with C5 connector is available in 1m, 2m & 3m only

# AC Power Cables: Wind Series

Never assume which of these is required for a component or power conditioner. Some manufacturers prefer the performance of one IEC inlet type over another—even when their circuit’s current draw is minimal.



Wind Series Plugs



Mistral Plugs for Wind Series XTRM

XTRM cables have upgraded plugs equivalent in quality to the Storm Series plugs. All Wind models are also available with UK plugs.

| Model                               | Monsoon                                                                                                   | Monsoon XTRM                                                                       | Blizzard<br>🟢 72V DBS Black     | Blizzard XTRM<br>🟢 72V DBS Black                                                    | Silver Cloud<br>🟢 72V DBS Carbon        | Silver Cloud XTRM<br>🟢 72V DBS Carbon                                               |
|-------------------------------------|-----------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|---------------------------------|-------------------------------------------------------------------------------------|-----------------------------------------|-------------------------------------------------------------------------------------|
| Plug Type                           | Gold-Plated Molded                                                                                        | Hanging Silver Over Red Copper                                                     | Gold-Plated Molded              | Hanging Silver Over Red Copper                                                      | Gold-Plated Molded                      | Hanging Silver Over Red Copper                                                      |
| Metal                               | Semi-Solid True-Concentric PSC+ and LGC                                                                   |                                                                                    | Semi-Solid True-Concentric PSC+ |                                                                                     | Semi-Solid True-Concentric PSS and PSC+ |                                                                                     |
| Gauge                               | 3,31mm²                                                                                                   |                                                                                    |                                 |                                                                                     |                                         |                                                                                     |
| Technology                          | ZERO Tech (No Characteristic Impedance) for Uncompressed Current Transfer; GND (Ground-Noise Dissipation) |                                                                                    |                                 |                                                                                     |                                         |                                                                                     |
| Jacket                              | Dark Blue/Black Braid                                                                                     |  | Silver/Black Braid              |  | Black/Black Braid                       |  |
| Terminations                        | Direct-Gold and Silver Plated; Cold-Welded Connectors                                                     |                                                                                    |                                 |                                                                                     |                                         |                                                                                     |
| Length                              | Euro Retail                                                                                               | Euro Retail                                                                        | Euro Retail                     | Euro Retail                                                                         | Euro Retail                             | Euro Retail                                                                         |
| 1m                                  | 329,00                                                                                                    | 669,00                                                                             | 579,00                          | 819,00                                                                              | 1.749,00                                | 2.049,00                                                                            |
| 2m                                  | 449,00                                                                                                    | 789,00                                                                             | 749,00                          | 989,00                                                                              | 2.999,00                                | 3.299,00                                                                            |
| 3m                                  | 569,00                                                                                                    | 909,00                                                                             | 919,00                          | 1.159,00                                                                            | 4.299,00                                | 4.549,00                                                                            |
| Other prepared lengths use formula: | –                                                                                                         | 120,00/m + 549,00                                                                  | –                               | 170,00/m + 649.00                                                                   | –                                       | 1.250,00/m + 799,00                                                                 |

## Mistral AC Power Bulk Cable


**Metal:** Semi-Solid True-Concentric PSC+ and LGC

**Gauge:** 3,31mm²

**Technology:** GND (Ground-Noise Dissipation)

**Jacket:** Dark Gray/Light Gray PVC

**Terminations:** Mistral AC Power Plugs



## Mistral AC Power Plugs

Sold separately.



Mistral Wall Plug  
Euro Retail: 129,00



Mistral IEC C-13 Plug  
Euro Retail: 129,00



Mistral IEC C-19 Plug  
Euro Retail: 129,00

Per Meter  
Euro Retail: 100,00

## AC Power Cables: Storm Series

Never assume which of these is required for a component or power conditioner. Some manufacturers prefer the performance of one IEC inlet type over another—even when their circuit's current draw is minimal.

**C15**  
10A Maximum RMS  
Capacity @ 230VAC 50 Hz



**C19**  
16A Maximum RMS  
Capacity @ 230VAC 50 Hz



Plugs for Storm Series

**Variable Current (High-Current) AC Power Cables** - Optimized for use with AC power conditioners/regenerators, power amplifiers, and any components that contain a built-in power amplifier, including AV receivers, powered speakers, and powered subwoofers.

| Model                               | <br><b>Thunder</b><br>● 72V DBS Black | <br><b>Tornado</b><br>● 72V DBS Carbon | <br><b>Hurricane</b><br>● 72V DBS Carbon | <br><b>FireBird</b><br>● 72V DBS Carbon | <br><b>Dragon</b><br>● 72V DBS Carbon |
|-------------------------------------|------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| <b>Metal</b>                        | Solid LGC and PSC                                                                                                      | Solid PSC and Solid PSC+                                                                                                 | Solid PSC+                                                                                                                  | Solid PSS and PSC+                                                                                                         | Primarily Solid PSS                                                                                                      |
| <b>Technology</b>                   | ZERO Tech (No Characteristic Impedance) for Uncompressed Current Transfer; GND (Ground-Noise Dissipation)              |                                                                                                                          |                                                                                                                             |                                                                                                                            |                                                                                                                          |
| <b>Jacket</b>                       |  Brown/Black Braid                    |  Silver/Black Braid                     |  Dark Blue/Black Braid                   |  Dark Red/Black Braid                   |  Black/Black Braid                    |
| <b>Termination and Gauge</b>        | Hanging-Silver over Red and Beryllium Copper - 4,17mm <sup>2</sup> Line and Neutral - 3,31mm <sup>2</sup> Ground       |                                                                                                                          |                                                                                                                             |                                                                                                                            |                                                                                                                          |
| <b>Length</b>                       | <b>Euro Retail</b>                                                                                                     | <b>Euro Retail</b>                                                                                                       | <b>Euro Retail</b>                                                                                                          | <b>Euro Retail</b>                                                                                                         | <b>Euro Retail</b>                                                                                                       |
| 1m                                  | 849,00                                                                                                                 | 1.199,00                                                                                                                 | 1.749,00                                                                                                                    | 3.399,00                                                                                                                   | 5.399,00                                                                                                                 |
| 2m                                  | 999,00                                                                                                                 | 1.499,00                                                                                                                 | 2.499,00                                                                                                                    | 5.799,00                                                                                                                   | 9.799,00                                                                                                                 |
| 3m                                  | 1.149,00                                                                                                               | 1.799,00                                                                                                                 | 3.249,00                                                                                                                    | 8.199,00                                                                                                                   | 14.199,00                                                                                                                |
| Other prepared lengths use formula: | 150,00/m + 699,00                                                                                                      | 300,00/m + 899,00                                                                                                        | 750,00/m + 999,00                                                                                                           | 2.400,00/m + 999,00                                                                                                        | 4.400,00/m + 999,00                                                                                                      |

**Constant-Current (Source) AC Power Cables** - Optimized for use with audio/video source components, which have a constant or "fixed" current draw.

| Model                               | - | <br><b>Tornado</b><br>● 72V DBS Carbon | <br><b>Hurricane</b><br>● 72V DBS Carbon | <br><b>FireBird</b><br>● 72V DBS Carbon | <br><b>Dragon</b><br>● 72V DBS Carbon |
|-------------------------------------|---|---------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|
| <b>Termination and Gauge</b>        | - | Hanging-Silver over Red and Beryllium Copper - 1,31mm <sup>2</sup> Line, Neutral and Ground                               |                                                                                                                               |                                                                                                                              |                                                                                                                            |
| <b>Length</b>                       | - | <b>Euro Retail</b>                                                                                                        | <b>Euro Retail</b>                                                                                                            | <b>Euro Retail</b>                                                                                                           | <b>Euro Retail</b>                                                                                                         |
| 1m                                  | - | 949,00                                                                                                                    | 1.399,00                                                                                                                      | 2.899,00                                                                                                                     | 4.399,00                                                                                                                   |
| 2m                                  | - | 1.099,00                                                                                                                  | 1.899,00                                                                                                                      | 4.799,00                                                                                                                     | 7.799,00                                                                                                                   |
| 3m                                  | - | 1.249,00                                                                                                                  | 2.399,00                                                                                                                      | 6.699,00                                                                                                                     | 11.199,00                                                                                                                  |
| Other prepared lengths use formula: | - | 150,00/m + 799,00                                                                                                         | 500,00/m + 899,00                                                                                                             | 1.900,00/m + 999,00                                                                                                          | 3.400,00/m + 999,00                                                                                                        |

## AC Power Accessories

### Female to Male IEC C-13 Adaptors

Premium Single-Piece Metal Conductors from Input to All Outputs Preserve Advantages of Superior AudioQuest NRG Series AC Cables.



#### IEC90°/1

Adaptor Bends in Direction of Center Pin

**Euro Retail: 19,95**



#### IEC90°/2

Adaptor Bends in Direction of 2 Outer Pins

**Euro Retail: 19,95**



### C7 90° Adaptor Kit

- Provides 90° bends for C7 power connections
- Also connects for double bends
- Non-polarized for maximum flexibility
- Retail package contains 1 x "E" adaptor and 1 x "U" adaptor

**Set of 2**

**Euro Retail: 35,90**

**AC Power C7 90° Adaptors are also sold in Installer Packs. See page 56.**

### Fog Lifters

Place Fog Lifters beneath audio and AC power cables to significantly reduce RF noise coupling, whether with the floor, or due to misdirected efforts to isolate cable with stands or clamps that themselves have too much contact mass and are sources of RF noise.



**Set of 8**

**Euro Retail: 149,00**

# Speaker Cables

## Meticulously Designed to Minimize Noise and Distortion

### Do No Harm: The Four Elements Today

AudioQuest's Four Elements are always applied in the most thoughtful, effective ways to offer the best performance for the money—at all price points. While our implementation of these techniques has evolved over the years, our guiding principle remains the same: *Do No Harm*.

### Solid Conductors

Strand interaction remains the biggest potential source of distortion in cables. Solid Conductors are the aspirational ideal and most complete solution to this problem. However, thoughtfully arranged multi-conductor geometries such as concentric windings are used to create our Semi-Solid Conductor technologies. These avoid many strand-distortion mechanisms and are in their own right ideal in a growing number of applications.

### High-Purity Metal

Higher-purity conductor metals with smoother surfaces and internal crystal structures greatly reduce noise and distortion. Carefully finessed mixes of metals and conductor sizes can be effectively used to define a cable's *Sonic Signature*—a cost-effective technique for high-value, high-performance models.

### Noise-Dissipation

Unwanted Radio-Frequency (RF) noise is and has always been picked up and induced into cable. This contamination ultimately masks and distorts critical portions of the audio/video signal. As this distortion-causing (parasitic) RF signal is more present today than at any previous time in history, we must depend on a wider arsenal of Noise-Dissipation technologies:

- Directionally Controlled conductors minimize high-frequency noise by “directing” or draining it away from the most vulnerable circuits.
- ZERO Technology (No Characteristic Impedance) applies Ultra-Linear Noise-Dissipation across the widest range of frequencies possible. It also enables uncompressed transient current transfer for AC power and loudspeaker/power amplifier applications.
- Ground-Noise Dissipation (GND) cancels induced RF noise via its unique phase-cancelling array.
- Tried-and-true DBS has evolved to include RF-Noise Traps that further reduce dielectric distortion and induced noise.


### Dielectric

Insulation is necessary between conductors to minimize signal interaction and electrical shorts. The ideal is virtually no dielectric interaction (such as is achieved with our ZERO Technology). However, by optimizing the dielectric material between signal conductors, this distortion is greatly minimized.




# Speaker Cable Applications


## Full-Range (FR) Non-BiWire, All Models




## Single-BiWire (SBW) Rocket Models Only



## BiWire COMBO Folk Heroes and Mythical Creatures ZERO and BASS Combination



## Single-BiAmp (SBA) Rocket Models Only



### Termination Upcharge:

**SureGrip 300 Multi-Spade or Banana**  
Euro Retail: 89,00

**500 Series Multi-Spade or Banana**  
Euro Retail: 159,00

**1000 Series Multi-Spade or Banana**  
Euro Retail: 239,00

## REL Acoustics™ Stereo High-Level Subwoofer Cable



This represents one of several connection possibilities with REL Subwoofers.  
Please contact your AudioQuest service representative for assistance.

Mythical Creature & Folk Hero Termination Options: Bananas or Spades?

Amplifier-End Connector:


Choice of 1000 Series Multi-Spade, Banana, U-Spade, or V-Spade (Silver only)



Insulated (compliant) binding posts may not allow for 2 sets of connectors.


Often, the choice between terminating speaker cables with spade lugs or banana plugs will come down to personal preference. However, today's EU-compliant isolated binding posts are being used on more power amplifiers than ever before. This sometimes makes it difficult, if not impossible, to use a banana connector. Further, given the girth and weight of our Mythical Creature Series speaker cables, a spade may be better capable of fully supporting the cable. This is particularly a concern with binding posts that do not allow a banana connector to fully seat into the post.

Further, the EU-compliant posts will neither accept our V-Spade nor allow our Multi-Spade to be fully seated. For these applications (or when you're not certain), **we highly recommend the U-Spade**, as it can accommodate any binding post. The V-Spade is a specialty spade connector that works well with large wingnut binding posts (such as the Mundorf), as it allows extra clearance.



Banana Dimensions (mm)

Multi-Spade Dimensions (mm)



U-Spade Dimensions (mm)

V-Spade Dimensions (mm)

Speaker-End Connector:

Choice of 1000-Series Spade or Banana (Silver only)

Here we typically recommend the **U-Spade** or banana connector. However, even though there is less weight and pressure on this side of the cable (particularly for Bi-Wire sets), it is nevertheless important to note the binding post's design. If a banana connector cannot seat all the way into the binding post, we recommend one of our spade connectors.

How to Order Prepared Speaker Cables

First please specify type of connector (banana or appropriate spade), then the finish of connector (silver\*).




(\*or gold where applicable)

Pair prices shown. Also available in singles (i.e. for center channel, subwoofer, or mono) at half pair price.

When ordering any factory-terminated speaker cable, please include the required elements shown in the examples below:

| Qty. | Pair or Single | Length | Model        | FR/BWC/SBW | Amplifier Termination | Speaker Termination | Silver or Gold |
|------|----------------|--------|--------------|------------|-----------------------|---------------------|----------------|
| 1    | Pair           | 3m     | Rocket 88    | FR         | Spade                 | Banana              | Silver         |
| 1    | Single         | 2m     | William Tell | COMBO      | U-Spade               | Banana              | N/A            |
| 1    | Single         | 3m     | Rocket 44    | SBW        | Spade                 | Banana              | Gold           |

## Speaker Cables: Q2 and Type Series (Type 5, Type 9, Type 9+DBS)



| Model                               | Q2                                              | Type 5                                                           | Type 9                                                         | Type 9+DBS<br>● 72V DBS Black                           |
|-------------------------------------|-------------------------------------------------|------------------------------------------------------------------|----------------------------------------------------------------|---------------------------------------------------------|
| Metal                               | Concentric LGC                                  | Solid PSC+ Sonic-Signature Conductors and LGC                    | Solid PSC+                                                     |                                                         |
| Gauge                               | 1,65mm <sup>2</sup>                             | 1,65mm <sup>2</sup>                                              | 1,65mm <sup>2</sup>                                            | 1,65mm <sup>2</sup>                                     |
| Geometry                            | Low-Inductance Twisted-Pair                     | Star-Quad                                                        |                                                                |                                                         |
| Noise-Dissipation                   | No                                              | Carbon-Based Noise-Dissipation                                   | Multi-Layer Carbon-Based Noise-Dissipation                     |                                                         |
| Jacket                              | Prepared: Black PVC<br>Bulk: White or Black PVC | Prepared: Brown/Black Braid<br>Bulk: Black PVC with Red Stripes  | Red/Black Braid                                                |                                                         |
| Plugs                               | Prepared: SureGrip 100 (Silver) Banana          | SureGrip 300 (Silver or Gold)<br>Choice of Multi-Spade or Banana | 500 Series (Silver or Gold)<br>Choice of Multi-Spade or Banana | 1000 Series (Silver)<br>Choice of Multi-Spade or Banana |
| Prepared Lengths                    | Euro Retail                                     | Euro Retail                                                      | Euro Retail                                                    | Euro Retail                                             |
| 2m Pair                             | -                                               | 349,00                                                           | 599,00                                                         | 899,00                                                  |
| 2,5m Pair                           | -                                               | 374,00                                                           | 649,00                                                         | 949,00                                                  |
| 3m Pair                             | 229,00                                          | 399,00                                                           | 699,00                                                         | 999,00                                                  |
| 4m Pair                             | -                                               | 449,00                                                           | 799,00                                                         | 1.099,00                                                |
| Other prepared lengths use formula: | -                                               | 50,00/m + 249,00                                                 | 100,00/m + 399,00                                              | 100,00/m + 699,00                                       |
| Bulk Cables (on spools)             | Euro Retail                                     | Euro Retail                                                      | Euro Retail                                                    | Euro Retail                                             |
| 50m                                 | -                                               | -                                                                | 50,00/m                                                        | -                                                       |
| 100m                                | 11,50/m                                         | 25,00/m                                                          | 50,00/m                                                        | -                                                       |

Note: For bulk cables, retail price is listed per meter.

## Speaker Cables: Rocket Series



| Model                               | Rocket 11                                                        | Rocket 22                              | Rocket 33                                                        | Rocket 44                                                      | Rocket 88<br>72V DBS Black |
|-------------------------------------|------------------------------------------------------------------|----------------------------------------|------------------------------------------------------------------|----------------------------------------------------------------|----------------------------|
| Metal                               | Semi-Solid True-Concentric LGC                                   | Semi-Solid True-Concentric PSC and LGC | Solid PSC and LGC                                                | Solid PSC+ and PSC                                             | Solid PSC+                 |
| Gauge                               | 2,08mm²                                                          | 3,31mm²                                | 2,08mm²                                                          | 3,31mm²                                                        |                            |
| Geometry                            | Double Spiral-Pair                                               |                                        | Double Star-Quad                                                 |                                                                |                            |
| Dielectric                          | PVC                                                              |                                        | Foamed-Polyethylene (For All Positive Conductors)                |                                                                |                            |
| Noise-Dissipation                   | No                                                               | Carbon-Based Noise-Dissipation         |                                                                  |                                                                |                            |
| Jacket                              | Black with Gray Stripes CL3 PVC                                  | Black with Blue Stripes CL3 PVC        | Red/Black Braid or PVC                                           | Silver/Black Braid or PVC                                      | Green/Black Braid or PVC   |
| Application Options                 | Full-Range, Single-BiWire, Single-BiAmp & REL                    |                                        |                                                                  |                                                                |                            |
| Plugs                               | SureGrip 300 (Silver or Gold)<br>Choice of Multi-Spade or Banana |                                        | SureGrip 300 (Silver or Gold)<br>Choice of Multi-Spade or Banana | 500 Series (Silver or Gold)<br>Choice of Multi-Spade or Banana |                            |
| Prepared Lengths                    | Euro Retail                                                      | Euro Retail                            | Euro Retail                                                      | Euro Retail                                                    | Euro Retail                |
| 2m Pair                             | 269,00                                                           | 329,00                                 | 369,00                                                           | 549,00                                                         | 1.099,00                   |
| 2,5m Pair                           | 284,00                                                           | 359,00                                 | 409,00                                                           | 634,00                                                         | 1.214,00                   |
| 3m Pair                             | 299,00                                                           | 389,00                                 | 449,00                                                           | 719,00                                                         | 1.329,00                   |
| 4m Pair                             | 329,00                                                           | 449,00                                 | 529,00                                                           | 889,00                                                         | 1.559,00                   |
| Other prepared lengths use formula: | 30,00/m + 209,00                                                 | 60,00/m + 209,00                       | 80,00/m + 209,00                                                 | 170,00/m + 209,00                                              | 230,00/m + 639,00          |
| Bulk Cables (on spools)             | Euro Retail                                                      | Euro Retail                            | Euro Retail                                                      | Euro Retail                                                    | Euro Retail                |
| 50m                                 | 15,00/m                                                          | 35,00/m                                | 40,00/m                                                          | 85,00/m                                                        | 115,00/m                   |
| 100m                                | 15,00/m                                                          | 35,00/m                                | 40,00/m                                                          | -                                                              | -                          |

Note: For bulk cables, retail price is listed per meter.

## Speaker Cables: Robin Hood (Folk Heroes)



| Model                                  | Robin Hood<br>ZERO<br>🟢 72V DBS Carbon                                                                                                                             | Robin Hood<br>BASS<br>🟢 72V DBS Carbon          | Robin Hood<br>BiWire COMBO<br>(ZERO + BASS)<br>🟢 72V DBS Carbon | Robin Hood<br>SILVER<br>🟢 72V DBS Carbon                      | Robin Hood<br>SILVER BiWire COMBO<br>(SILVER + BASS)<br>🟢 72V DBS Carbon |
|----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|-----------------------------------------------------------------|---------------------------------------------------------------|--------------------------------------------------------------------------|
| Metal                                  | Solid PSC+                                                                                                                                                         |                                                 | Refer to Specs for<br>ZERO and BASS                             | Solid PSS Sonic-Signature<br>Conductors and PSC+              | Refer to Specs for<br>SILVER and BASS                                    |
| Gauge                                  | 1,65mm²                                                                                                                                                            |                                                 |                                                                 | 1,65mm²                                                       |                                                                          |
| Geometry                               | ZERO Tech (No Characteristic Impedance)                                                                                                                            |                                                 |                                                                 | ZERO Tech<br>(No Characteristic Impedance)                    |                                                                          |
| Noise-Dissipation                      | Multi-Layer Carbon-Based<br>Noise-Dissipation                                                                                                                      | GND (Ground-Noise Dissipation)                  |                                                                 | Multi-Layer Carbon-Based<br>Noise-Dissipation                 |                                                                          |
| Jacket                                 | Dark Green/Black Braid                                                                                                                                             | Black Braid                                     |                                                                 | Light Gray/Black Braid                                        |                                                                          |
| Application Options                    | Full-Range or BiWire COMBO<br>(when combined with BASS cable)                                                                                                      | BiWire COMBO<br>(when combined with ZERO cable) |                                                                 | Full-Range or BiWire COMBO<br>(when combined with BASS cable) |                                                                          |
| Plug Options (1000 Series, Silver)     | AMP-Side: Choice of U-Spade (recommended default), Banana, Multi-Spade, or V-Spade / SPEAKER-Side: Choice of U-Spade (recommended default), Banana, or Multi-Spade |                                                 |                                                                 |                                                               |                                                                          |
| Prepared Lengths                       | Euro Retail                                                                                                                                                        | Euro Retail                                     | Euro Retail                                                     | Euro Retail                                                   | Euro Retail                                                              |
| 2m Pair                                | 1.650,00                                                                                                                                                           | 1.650,00                                        | 3.300,00                                                        | 4.330,00                                                      | 5.980,00                                                                 |
| 2,5m Pair                              | 1.815,00                                                                                                                                                           | 1.815,00                                        | 3.630,00                                                        | 5.165,00                                                      | 6.980,00                                                                 |
| 3m Pair                                | 1.980,00                                                                                                                                                           | 1.980,00                                        | 3.960,00                                                        | 6.000,00                                                      | 7.980,00                                                                 |
| 4m Pair                                | 2.310,00                                                                                                                                                           | 2.310,00                                        | 4.620,00                                                        | 7.670,00                                                      | 9.980,00                                                                 |
| Other prepared lengths<br>use formula: | 330,00/m + 990,00                                                                                                                                                  | 330,00/m + 990,00                               | 660,00/m + 1.980,00                                             | 1.670,00/m + 990,00                                           | 2.000,00/m + 1.980,00                                                    |

## Speaker Cables: William Tell (Folk Heroes)



| Model                                  | William Tell<br>ZERO<br>🟢 72V DBS Carbon                                                                                                                           | William Tell<br>BASS<br>🟢 72V DBS Carbon         | William Tell<br>BiWire COMBO<br>(ZERO + BASS)<br>🟢 72V DBS Carbon | William Tell<br>SILVER<br>🟢 72V DBS Carbon                    | William Tell<br>SILVER BiWire COMBO<br>(SILVER + BASS)<br>🟢 72V DBS Carbon |
|----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|-------------------------------------------------------------------|---------------------------------------------------------------|----------------------------------------------------------------------------|
| Metal                                  | Solid PSC+                                                                                                                                                         | Solid PSC+ Sonic-Signature<br>Conductors and LGC | Refer to Specs for<br>ZERO and BASS                               | Solid PSS Sonic-Signature<br>Conductors and PSC+              | Refer to Specs for<br>SILVER and BASS                                      |
| Gauge                                  | 2,62mm²                                                                                                                                                            |                                                  |                                                                   | 2,62mm²                                                       |                                                                            |
| Geometry                               | ZERO Tech (No Characteristic Impedance)                                                                                                                            |                                                  |                                                                   | ZERO Tech<br>(No Characteristic Impedance)                    |                                                                            |
| Noise-Dissipation                      | Multi-Layer Carbon-Based<br>Noise-Dissipation                                                                                                                      | GND (Ground-Noise Dissipation)                   |                                                                   | Multi-Layer Carbon-Based<br>Noise-Dissipation                 |                                                                            |
| Jacket                                 | Dark Red/Black Braid                                                                                                                                               | Black Braid                                      |                                                                   | Silver/Black Braid                                            |                                                                            |
| Application Options                    | Full-Range or BiWire COMBO<br>(when combined with BASS cable)                                                                                                      | BiWire COMBO<br>(when combined with ZERO cable)  |                                                                   | Full-Range or BiWire COMBO<br>(when combined with BASS cable) |                                                                            |
| Plug Options (1000 Series, Silver)     | AMP-Side: Choice of U-Spade (recommended default), Banana, Multi-Spade, or V-Spade / SPEAKER-Side: Choice of U-Spade (recommended default), Banana, or Multi-Spade |                                                  |                                                                   |                                                               |                                                                            |
| Prepared Lengths                       | Euro Retail                                                                                                                                                        | Euro Retail                                      | Euro Retail                                                       | Euro Retail                                                   | Euro Retail                                                                |
| 2m Pair                                | 2.720,00                                                                                                                                                           | 1.860,00                                         | 4.580,00                                                          | 6.060,00                                                      | 7.920,00                                                                   |
| 2,5m Pair                              | 3.050,00                                                                                                                                                           | 2.025,00                                         | 5.075,00                                                          | 7.225,00                                                      | 9.250,00                                                                   |
| 3m Pair                                | 3.380,00                                                                                                                                                           | 2.190,00                                         | 5.570,00                                                          | 8.390,00                                                      | 10.580,00                                                                  |
| 4m Pair                                | 4.040,00                                                                                                                                                           | 2.520,00                                         | 6.560,00                                                          | 10.720,00                                                     | 13.240,00                                                                  |
| Other prepared lengths<br>use formula: | 660,00/m + 1.400,00                                                                                                                                                | 330,00/m + 1.200,00                              | 990,00/m + 2.600,00                                               | 2.330,00/m + 1.400,00                                         | 2.660,00/m + 2.600,00                                                      |

## Speaker Cables: ThunderBird (Mythical Creatures)




| Model                                  | ThunderBird<br>ZERO<br>🟢 72V DBS Carbon                                                                                                                            | ThunderBird<br>BASS<br>🟢 72V DBS Carbon       | ThunderBird<br>BiWire COMBO<br>(ZERO + BASS)<br>🟢 72V DBS Carbon |
|----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|------------------------------------------------------------------|
| Metal                                  | Solid PSC+                                                                                                                                                         | Solid PSC+ Sonic-Signature Conductors and LGC | Refer to Specs for ZERO and BASS                                 |
| Gauge                                  | 5,26mm²                                                                                                                                                            |                                               |                                                                  |
| Geometry                               | ZERO Tech (No Characteristic Impedance)                                                                                                                            |                                               |                                                                  |
| Noise-Dissipation                      | Multi-Layer Carbon-Based Noise-Dissipation                                                                                                                         | GND (Ground-Noise Dissipation)                |                                                                  |
| Jacket                                 | Blue/Black Braid                                                                                                                                                   |                                               |                                                                  |
| Application Options                    | Full-Range or BiWire COMBO<br>(when combined with BASS cable)                                                                                                      | BiWire COMBO (when combined with ZERO cable)  |                                                                  |
| Plug Options (1000 Series, Silver)     | AMP-Side: Choice of U-Spade (recommended default), Banana, Multi-Spade, or V-Spade / SPEAKER-Side: Choice of U-Spade (recommended default), Banana, or Multi-Spade |                                               |                                                                  |
| Prepared Lengths                       | Euro Retail                                                                                                                                                        | Euro Retail                                   | Euro Retail                                                      |
| 2m Pair                                | 4.300,00                                                                                                                                                           | 3.300,00                                      | 7.600,00                                                         |
| 2,5m Pair                              | 4.950,00                                                                                                                                                           | 3.700,00                                      | 8.650,00                                                         |
| 3m Pair                                | 5.600,00                                                                                                                                                           | 4.100,00                                      | 9.700,00                                                         |
| 4m Pair                                | 6.900,00                                                                                                                                                           | 4.900,00                                      | 11.800,00                                                        |
| Other prepared lengths<br>use formula: | 1.300,00/m + 1.700,00                                                                                                                                              | 800,00/m + 1.700,00                           | 2.100,00/m + 3.400,00                                            |

## Speaker Cables: FireBird (Mythical Creatures)



| Model                                  | FireBird<br>ZERO<br>🟢 72V DBS Carbon                                                                                                                               | FireBird<br>BASS<br>🟢 72V DBS Carbon         | FireBird<br>BiWire COMBO<br>(ZERO + BASS)<br>🟢 72V DBS Carbon |
|----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|---------------------------------------------------------------|
| Metal                                  | Solid PSS Sonic-Signature Conductors and PSC+                                                                                                                      |                                              | Refer to Specs for ZERO and BASS                              |
| Gauge                                  | 5,26mm²                                                                                                                                                            |                                              |                                                               |
| Geometry                               | ZERO Tech (No Characteristic Impedance)                                                                                                                            |                                              |                                                               |
| Noise-Dissipation                      | Multi-Layer Carbon-Based Noise-Dissipation                                                                                                                         | GND (Ground-Noise Dissipation)               |                                                               |
| Jacket                                 | Dark Red/Black Braid                                                                                                                                               |                                              |                                                               |
| Application Options                    | Full-Range or BiWire COMBO<br>(when combined with BASS cable)                                                                                                      | BiWire COMBO (when combined with ZERO cable) |                                                               |
| Plug Options (1000 Series, Silver)     | AMP-Side: Choice of U-Spade (recommended default), Banana, Multi-Spade, or V-Spade / SPEAKER-Side: Choice of U-Spade (recommended default), Banana, or Multi-Spade |                                              |                                                               |
| Prepared Lengths                       | Euro Retail                                                                                                                                                        | Euro Retail                                  | Euro Retail                                                   |
| 2m Pair                                | 13.300,00                                                                                                                                                          | 10.500,00                                    | 23.800,00                                                     |
| 2,5m Pair                              | 16.150,00                                                                                                                                                          | 12.650,00                                    | 28.800,00                                                     |
| 3m Pair                                | 19.000,00                                                                                                                                                          | 14.800,00                                    | 33.800,00                                                     |
| 4m Pair                                | 24.700,00                                                                                                                                                          | 19.100,00                                    | 43.800,00                                                     |
| Other prepared lengths<br>use formula: | 5.700,00/m + 1.900,00                                                                                                                                              | 4.300,00/m + 1.900.00                        | 10.000,00/m + 3.800,00                                        |

## Speaker Cables: Dragon (Mythical Creatures)



| Model                                  | Dragon<br>ZERO<br>72V DBS Carbon                                                                                                                                   | Dragon<br>BASS<br>72V DBS Carbon             | Dragon<br>BiWire COMBO<br>(ZERO + BASS)<br>72V DBS Carbon |
|----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|-----------------------------------------------------------|
| Metal                                  | Solid PSS Sonic-Signature Conductors and PSC+                                                                                                                      |                                              | Refer to Specs for ZERO and BASS                          |
| Gauge                                  | 5,26mm²                                                                                                                                                            |                                              |                                                           |
| Geometry                               | ZERO Tech (No Characteristic Impedance)                                                                                                                            |                                              |                                                           |
| Noise-Dissipation                      | Multi-Layer Carbon-Based Noise-Dissipation                                                                                                                         | GND (Ground-Noise Dissipation)               |                                                           |
| Jacket                                 | Black Braid                                                                                                                                                        |                                              |                                                           |
| Application Options                    | Full-Range or BiWire COMBO<br>(when combined with BASS cable)                                                                                                      | BiWire COMBO (when combined with ZERO cable) |                                                           |
| Plug Options (1000 Series, Silver)     | AMP-Side: Choice of U-Spade (recommended default), Banana, Multi-Spade, or V-Spade / SPEAKER-Side: Choice of U-Spade (recommended default), Banana, or Multi-Spade |                                              |                                                           |
| Prepared Lengths                       | Euro Retail                                                                                                                                                        | Euro Retail                                  | Euro Retail                                               |
| 2m Pair                                | 23.300,00                                                                                                                                                          | 17.900,00                                    | 41.200,00                                                 |
| 2,5m Pair                              | 28.650,00                                                                                                                                                          | 21.900,00                                    | 50.550,00                                                 |
| 3m Pair                                | 34.000,00                                                                                                                                                          | 25.900,00                                    | 59.900,00                                                 |
| 4m Pair                                | 44.700,00                                                                                                                                                          | 33.900,00                                    | 78.600,00                                                 |
| Other prepared lengths<br>use formula: | 10.700,00/m + 1.900,00                                                                                                                                             | 8.000,00/m + 1.900,00                        | 18.700,00/m + 3.800,00                                    |

## Speaker Cable Accessories

### PSC BiWire Jumpers

Solid PSC Copper Jumpers replace stamped jumpers supplied with BiWireable speakers.

**Set of (4) 10.16cm Jumpers.**



**BiWire Jumpers-G (Direct-Gold Plated)**  
Euro Retail: 29,95



**BiWire Jumpers-S (Direct-Silver Plated)**  
Euro Retail: 29,95

### BiWire Jumpers

Easy and affordable upgrades over the common gold-plated, stamped-brass jumpers included with most biwireable loudspeakers. AudioQuest BiWire Jumpers use Direction-Controlled Solid Perfect-Surface Copper+ (PSC+, Saturn) or Perfect-Surface Silver (PSS, Jupiter) conductors.

Choice of Hanging-Silver or Hanging-Gold 500 Series Banana or Multi-Spade connectors. Please specify silver or gold when ordering. Length of jumpers is 20.32cm including connectors.



**Saturn (PSC+)**  
Set of 4  
Euro Retail: 229,00





**Jupiter (PSS)**  
Set of 4  
Euro Retail: 549,00

## Using BiWire Jumpers with full-range cables on biwireable speakers

**Connect BiWire Jumpers, (-) Treble to (-) Bass and (+) Treble to (+) Bass**

**3-Way or Panel/Hybrid:** Connect Speaker Cable to (+) and (-) Treble Input

**2-Way speakers:** Connect (+) Speaker Cable to Treble (+) Input and (-) Speaker Cable to (-) Bass Input



### Fog Lifters

Place Fog Lifters beneath audio and AC power cables to significantly reduce RF noise coupling, whether with the floor, or due to misdirected efforts to isolate cable with stands or clamps that themselves have too much contact mass and are sources of RF noise.



**Set of 8**  
Euro Retail: 149.00

# Analog-Audio Interconnect Cables

*The Higher You Climb, The Less You Hear?*

Climbing the ladder of AudioQuest Analog Interconnect Cables leads to better and better performance. This makes immediate sense, but perhaps less intuitive is the fact that moving up the line means you hear less of the cable. The reason is simple: As more of the delicate audio signal is protected from damage along the way, the listener experiences more of the truth and emotional impact of the music. Greater faithfulness to the audio signal is made possible by the use of superior materials and the careful implementation of increasingly sophisticated design and construction techniques.

Music is wonderfully complex, and our ears are very sensitive to its nuances. The remarkably affordable Bridges & Falls Series is an amazing place to start the journey. Yet, every step up the ladder to the Elements Series delivers even more clarity, smoother and more natural sound, greater dynamic slam, and more nuanced expression from the music.

As you climb with your customers, you'll hear progressions in metal, from Solid Long-Grain Copper to Perfect-Surface Copper, Copper+, and Silver; in Geometry, from Double-to Triple-Balanced; in insulation, from Foamed-PE to FEP Air-Tubes; and in Noise-Dissipation techniques, from Metal to Carbon-Based Multi-Layer Noise-Dissipation and our patented Dielectric-Bias System.

Throughout the line, the AQ performance-driven value system is always 100% evident. Climb until the incremental cost of the higher model is no longer the least expensive way to make the most improvement—but don't be surprised if your customers find themselves at the top of the line before reaching that point!



## Analog-Audio Interconnect Cables: Bridges & Falls

|                                     |                                                                                           |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|-------------------------------------|-------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| 3.5mm Male Mini                     |          |  |  |  |  |  |  |  |
|                                     |          |  |  |  |  |  |  |  |
|                                     |          |                                                                                   |  |                                                                                     |                                                                                     |  |  |  |
|                                     |                                                                                           |                                                                                   |                                                                                    |  |  |  |  |  |
| Model                               | Tower                                                                                     | Evergreen                                                                         | Golden Gate                                                                        | Big Sur                                                                             | Sydney                                                                              | Victoria<br>72V DBS Black                                                           | Yosemite<br>72V DBS Black                                                           | Angel<br>72V DBS Carbon                                                             |
| Metal                               | Solid LGC                                                                                 |                                                                                   | Solid PSC                                                                          |                                                                                     | Solid PSC+                                                                          |                                                                                     |                                                                                     | Solid PSS                                                                           |
| Geometry                            | Asymmetrical Double-Balanced (Lower Impedance on Ground, Same Quality + and - Conductors) |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| Dielectric                          | Foamed-Polyethylene                                                                       |                                                                                   |                                                                                    |                                                                                     | Polyethylene Air-Tubes                                                              |                                                                                     | FEP Air-Tubes                                                                       |                                                                                     |
| Noise-Dissipation                   | Metal-Layer Noise-Dissipation                                                             |                                                                                   |                                                                                    |                                                                                     | Carbon-Based Noise-Dissipation                                                      |                                                                                     |                                                                                     |                                                                                     |
| Jacket                              | Black with White Stripes PVC                                                              | Green/Black Braid                                                                 | Red/Black Braid                                                                    | Brown/Black Braid                                                                   | Dark Gray/Black Braid                                                               | Blue/Black Braid                                                                    | Green/Black Braid                                                                   | Silver/Black Braid                                                                  |
| Termination                         | Cold-Welded, Gold-Plated                                                                  |                                                                                   |                                                                                    | Cold-Welded, Gold-Plated Pure Purple Copper                                         |                                                                                     | Cold-Welded, Direct-Silver Plated Pure Red Copper                                   |                                                                                     |                                                                                     |
| Application                         |                                                                                           |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 3,5mm Male Mini - 2-Male RCA        | Yes                                                                                       |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 2-Male RCA - 2-Male RCA             | Yes                                                                                       |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 3,5mm Male Mini - 3,5mm Male Mini   | Yes                                                                                       |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 3,5mm Male Mini - 3,5mm Female Mini | 3m and 5m Only                                                                            | No                                                                                | 2m and 5m Only                                                                     | No                                                                                  | No                                                                                  | 2m and 5m Only                                                                      | Yes                                                                                 |                                                                                     |
| 3,5mm Male Mini - 5 Pin DIN         | No                                                                                        |                                                                                   |                                                                                    | Yes                                                                                 |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 5 Pin DIN - 5 Pin DIN               | No                                                                                        |                                                                                   |                                                                                    | Yes                                                                                 |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 5 Pin DIN - 2-Male RCA              | No                                                                                        |                                                                                   |                                                                                    | Yes                                                                                 |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| Length                              | Euro Retail                                                                               | Euro Retail                                                                       | Euro Retail                                                                        | Euro Retail                                                                         | Euro Retail                                                                         | Euro Retail                                                                         | Euro Retail                                                                         | Euro Retail                                                                         |
| 0,6m                                | 27,95                                                                                     | 45,00                                                                             | 75,00                                                                              | 119,00                                                                              | 169,00                                                                              | 299,00                                                                              | 569,00                                                                              | 999,00                                                                              |
| 1m                                  | 29,95                                                                                     | 49,00                                                                             | 79,00                                                                              | 129,00                                                                              | 199,00                                                                              | 349,00                                                                              | 659,00                                                                              | 1.199,00                                                                            |
| 1.5m                                | 32,95                                                                                     | 55,00                                                                             | 89,00                                                                              | 145,00                                                                              | 239,00                                                                              | 399,00                                                                              | 769,00                                                                              | 1.449,00                                                                            |
| 2m                                  | 35,95                                                                                     | 59,00                                                                             | 95,00                                                                              | 159,00                                                                              | 269,00                                                                              | 449,00                                                                              | 879,00                                                                              | 1.699,00                                                                            |
| 3m                                  | 41,95                                                                                     | 69,00                                                                             | 109,00                                                                             | 189,00                                                                              | 339,00                                                                              | 549,00                                                                              | 1.099,00                                                                            | 2.199,00                                                                            |
| 5m                                  | 53,95                                                                                     | 89,00                                                                             | 139,00                                                                             | 249,00                                                                              | 479,00                                                                              | 749,00                                                                              | 1.539,00                                                                            | 3.199,00                                                                            |
| 8m                                  | 71,95                                                                                     | 119,00                                                                            | 185,00                                                                             | 339,00                                                                              | 689,00                                                                              | 1.049,00                                                                            | 2.199,00                                                                            | 4.699,00                                                                            |
| 12m                                 | 95,95                                                                                     | 159,00                                                                            | 249,00                                                                             | 459,00                                                                              | 969,00                                                                              | 1.449,00                                                                            | 3.079,00                                                                            | 6.699,00                                                                            |
| 16m                                 | 119,95                                                                                    | 199,00                                                                            | 299,00                                                                             | 579,00                                                                              | 1.249,00                                                                            | 1.849,00                                                                            | 3.959,00                                                                            | 8.699,00                                                                            |
| 20m                                 | 143,95                                                                                    | 239,00                                                                            | 369,00                                                                             | 699,00                                                                              | 1.529,00                                                                            | 2.249,00                                                                            | 4.839,00                                                                            | 10.699,00                                                                           |

## Analog-Audio Interconnect Cables: Rivers & Elements

| Male RCA                            |  |  |  |  |  |  |  |  |
|-------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Male XLR                            |                                                                                   |  |  |  |  |  |  |  |
| Female XLR                          |                                                                                   |  |  |  |  |  |  |  |
| Model                               | Chicago                                                                           | Red River                                                                         | Mackenzie                                                                         | Yukon                                                                               | Water<br>72V DBS Black                                                              | Earth<br>72V DBS Carbon                                                             | Wind<br>72V DBS Carbon                                                              | Fire<br>72V DBS Carbon                                                              |
| Metal                               | Solid LGC                                                                         | Solid PSC                                                                         | Solid PSC+                                                                        |                                                                                     |                                                                                     |                                                                                     | Solid PSS                                                                           |                                                                                     |
| Geometry                            | Double-Balanced                                                                   | Triple-Balanced (Separate Ground-Reference Conductor)                             |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| Dielectric                          | Hard-Cell Foam                                                                    |                                                                                   |                                                                                   | Polyethylene Air-Tubes                                                              |                                                                                     | FEP Air-Tubes                                                                       |                                                                                     |                                                                                     |
| Noise-Dissipation                   | Metal-Layer Noise-Dissipation                                                     |                                                                                   | Carbon-Based Noise-Dissipation                                                    |                                                                                     | Carbon-Based Multi-Layer Noise-Dissipation                                          |                                                                                     |                                                                                     |                                                                                     |
| Jacket                              | Green/Black Braid or CL3/FT4 PVC                                                  | Red/Black Braid or CL3/FT4 PVC                                                    | Brown/Black Braid or CL3/FT4 PVC                                                  | Black/Dark Gray Braid                                                               | Blue/Black Braid                                                                    | Green/Black Braid                                                                   | Silver/Black Braid                                                                  | Red/Black Braid                                                                     |
| Termination                         | Cold-Welded, Gold-Plated                                                          |                                                                                   | Cold-Welded, Hanging-Silver directly over pure Purple Copper                      |                                                                                     | Cold-Welded, Hanging-Silver Plating directly over High-Purity Red Copper Plugs      |                                                                                     |                                                                                     |                                                                                     |
| Application                         |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| Male RCA - Male RCA                 | Yes                                                                               | Yes                                                                               |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| Female XLR - Male XLR               | No                                                                                | Yes                                                                               |                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| Length                              | Euro Retail                                                                       | Euro Retail                                                                       | Euro Retail                                                                       | Euro Retail                                                                         | Euro Retail                                                                         | Euro Retail                                                                         | Euro Retail                                                                         | Euro Retail                                                                         |
| 0,5m                                | 89,00                                                                             | 169,00                                                                            | 259,00                                                                            | 399,00                                                                              | 599,00                                                                              | 999,00                                                                              | 1.699,00                                                                            | 2.499,00                                                                            |
| 0,75m                               | 95,00                                                                             | 175,00                                                                            | 269,00                                                                            | 419,00                                                                              | 649,00                                                                              | 1.099,00                                                                            | 1.999,00                                                                            | 2.999,00                                                                            |
| 1m                                  | 99,00                                                                             | 179,00                                                                            | 279,00                                                                            | 449,00                                                                              | 699,00                                                                              | 1.199,00                                                                            | 2.299,00                                                                            | 3.499,00                                                                            |
| 1,5m                                | 105,00                                                                            | 189,00                                                                            | 299,00                                                                            | 499,00                                                                              | 799,00                                                                              | 1.399,00                                                                            | 2.899,00                                                                            | 4.499,00                                                                            |
| 2m                                  | 109,00                                                                            | 199,00                                                                            | 329,00                                                                            | 559,00                                                                              | 899,00                                                                              | 1.599,00                                                                            | 3.499,00                                                                            | 5.499,00                                                                            |
| 3m                                  | 119,00                                                                            | 219,00                                                                            | 379,00                                                                            | 669,00                                                                              | 1.099,00                                                                            | 1.999,00                                                                            | 4.699,00                                                                            | 7.499,00                                                                            |
| 4m                                  | 129,00                                                                            | 239,00                                                                            | 429,00                                                                            | 779,00                                                                              | 1.299,00                                                                            | 2.399,00                                                                            | 5.899,00                                                                            | 9.499,00                                                                            |
| 5m                                  | 139,00                                                                            | 259,00                                                                            | 479,00                                                                            | 889,00                                                                              | 1.499,00                                                                            | 2.799,00                                                                            | 7.099,00                                                                            | 11.499,00                                                                           |
| 6m                                  | 149,00                                                                            | 279,00                                                                            | 529,00                                                                            | 999,00                                                                              | 1.699,00                                                                            | 3.199,00                                                                            | 8.299,00                                                                            | 13.499,00                                                                           |
| Other prepared lengths use formula: | 10,00/m + 89,00                                                                   | 20,00/m + 159,00                                                                  | 50,00/m + 229,00                                                                  | 110,00/m + 339,00                                                                   | 200,00/m + 499,00                                                                   | 400,00/m + 799,00                                                                   | 1,200.00/m + 1,099,00                                                               | 2.000,00/m + 1.499,00                                                               |
| Bulk Cables (on spools)             | Euro Retail                                                                       | Euro Retail                                                                       | Euro Retail                                                                       | Euro Retail                                                                         | Euro Retail                                                                         | Euro Retail                                                                         | Euro Retail                                                                         | Euro Retail                                                                         |
| 50m                                 | -                                                                                 | -                                                                                 | 25,00/m                                                                           | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   |
| 100m                                | 5,00/m                                                                            | 10,00/m                                                                           | -                                                                                 | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   |

Note: For bulk cables, retail price is listed per meter.

## Analog-Audio Interconnect Accessories



### FLX-Mini Splitter

3.5mm Mini Male Stereo >  
(2) 3.5mm Female Stereo  
**Metal:** Solid PSC+  
**Length:** 15cm

**Euro Retail:** 19,95



### FLX-Mini/RCA Adaptor

3.5mm Mini Male Stereo <>  
2 Female RCA (L & R)  
**Metal:** Solid PSC+  
**Length:** 15cm

**Euro Retail:** 19,95



### Hard Mini/RCA Adaptor

Hard Mini 3.5mm Male <>  
2 Female RCA (L & R)  
(Not for Bridges & Falls)

**Euro Retail:** 19,95



### FLX-X RCA Splitter

RCA Male >  
2 Female RCA (L & R)  
**Metal:** Solid LGC  
**Length:** 15cm

**Euro Retail:** 19,95



### FLX-X RCA Splitter

RCA Female >  
2 Male (L & R)  
**Metal:** Solid LGC  
**Length:** 15cm

**Euro Retail:** 19,95



### M21F-90 Adaptor

Female RCA to Right Angle  
Male RCA

**Euro Retail:** 12,95



### Hard RCA Splitter

Male RCA > 2 Female RCA

**Euro Retail:** 15,95



### RCA - RCA Coupler

Female RCA <> Female RCA

**Euro Retail:** 9,95



### PreAmp Jumpers

Solid Perfect-Surface Copper+ (PSC+) conductors  
in Polyethylene Air-Tubes. Replaces factory fitted  
"U" jumpers on integrated amps and receivers.

**Euro Retail:** 39,95


## Subwoofer Cables



| Model                                           | Black Lab                                  | Greyhound                                  | Irish Red                                                                            | Boxer                                                                                    | Husky<br>🟢 72V DBS Black                                                   | Wolf<br>🟢 72V DBS Black                                                        |
|-------------------------------------------------|--------------------------------------------|--------------------------------------------|--------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|--------------------------------------------------------------------------------|
| Metal                                           | LGC                                        | 0,5% Silver                                |                                                                                      | 1,25% Silver                                                                             | 5% Silver                                                                  | 10% Silver                                                                     |
| Conductor                                       | Solid Conductors                           |                                            |                                                                                      |                                                                                          |                                                                            |                                                                                |
| Geometry                                        | Symmetrical Coax                           |                                            |                                                                                      | Double-Balanced                                                                          | Triple-Balanced                                                            |                                                                                |
| Dielectric                                      | Foamed-Polyethylene                        |                                            |                                                                                      | Polyethylene Air-Tubes                                                                   |                                                                            | FEP Air-Tubes                                                                  |
| Noise-Dissipation                               | Metal-Layer Noise-Dissipation              |                                            |                                                                                      | Carbon-Based Noise-Dissipation                                                           | Carbon-Based Multi-Layer Noise-Dissipation                                 |                                                                                |
| Jacket                                          | Black with White Stripes CL3/FT4 Rated PVC | Light Gray-Striped White CL3/FT4 Rated PVC | Up to 5m: Red/Black Braid<br>8m and Longer CL3/FT4 Rated: Black PVC with Red Stripes | Up to 5m: Brown/Black Braid<br>8m and Longer CL3/FT4 Rated: Black PVC with Brown Stripes | Blue/Black Braid or CL3/FT4 Rated Black PVC with Blue Stripes (Any Length) | Silver/Black Braid or CL3/FT4 Rated Black PVC with Silver Stripes (Any Length) |
| Termination                                     | Cold-Welded, Gold-Plated                   |                                            |                                                                                      | Cold-Welded, Hanging-Silver directly over pure Red Copper                                |                                                                            |                                                                                |
| Application - Attached Chassis-Ground Connector |                                            |                                            |                                                                                      |                                                                                          |                                                                            |                                                                                |
| RCA - RCA                                       | Yes                                        |                                            |                                                                                      |                                                                                          |                                                                            |                                                                                |
| RCA/XLR Mixed                                   | No                                         |                                            |                                                                                      |                                                                                          | Yes                                                                        |                                                                                |
| XLR - XLR                                       | No                                         |                                            |                                                                                      |                                                                                          | Yes                                                                        |                                                                                |
| Length                                          | Euro Retail                                | Euro Retail                                | Euro Retail                                                                          | Euro Retail                                                                              | Euro Retail                                                                | Euro Retail                                                                    |
| 2m                                              | 42,50                                      | 59,00                                      | 89,00                                                                                | 179,00                                                                                   | 339,00                                                                     | 879,00                                                                         |
| 3m                                              | 49,00                                      | 69,00                                      | 99,00                                                                                | 199,00                                                                                   | 399,00                                                                     | 999,00                                                                         |
| 5m                                              | 65,00                                      | 85,00                                      | 125,00                                                                               | 249,00                                                                                   | 519,00                                                                     | 1.239,00                                                                       |
| 8m                                              | 89,00                                      | 109,00                                     | 165,00                                                                               | 309,00                                                                                   | 699,00                                                                     | 1.599,00                                                                       |
| 12m                                             | 119,00                                     | 139,00                                     | 215,00                                                                               | 399,00                                                                                   | 939,00                                                                     | 2.079,00                                                                       |
| 16m                                             | 149,00                                     | 169,00                                     | 265,00                                                                               | 489,00                                                                                   | 1.179,00                                                                   | 2.559,00                                                                       |
| 20m                                             | 179,00                                     | 199,00                                     | 315,00                                                                               | 569,00                                                                                   | 1.419,00                                                                   | 3.039,00                                                                       |
| Other prepared lengths use formula:             | -                                          | -                                          | -                                                                                    | -                                                                                        | 60,00/m + 219,00                                                           | 120,00/m + 639,00                                                              |

Note: Greyhound is optimized for custom-installation projects that require its thin, discreet design. It does not include a chassis-ground connector.

## Tonearm Cables



| Model                                           | WildCat                       | Cougar<br>● 72V DBS Black | LeoPard<br>● 72V DBS Black                 | WEL Signature<br>● 72V DBS Carbon |
|-------------------------------------------------|-------------------------------|---------------------------|--------------------------------------------|-----------------------------------|
| Metal                                           | Solid PSC                     | Solid PSC+                | Solid PSS                                  |                                   |
| Dielectric                                      | Foamed-Polyethylene           |                           | FEP Air-Tubes                              |                                   |
| Noise-Dissipation                               | Metal-Layer Noise-Dissipation |                           | Carbon-Based Multi-Layer Noise-Dissipation |                                   |
| Capacitance                                     | Less than 65pF/1,5m           |                           | Less than 56pF/1,2m                        |                                   |
| Jacket                                          | White/Gray Braid              | Black Braid               | Gray PVC                                   | Gray/Black Stripes PVC            |
| Application - Attached Chassis-Ground Connector |                               |                           |                                            |                                   |
| RCA - RCA                                       | Yes                           | Yes                       | Yes                                        |                                   |
| Straight 5-pin JIS Plug - RCA                   | Yes                           | Yes                       | Yes                                        |                                   |
| Right Angle 5-pin JIS Plug - RCA                | No                            | No                        | Yes                                        |                                   |
| XLR - XLR                                       | No                            | No                        | Yes                                        |                                   |
| JIS or RCA - XLR                                | No                            | No                        | Call                                       |                                   |
| Length                                          | Euro Retail                   | Euro Retail               | Euro Retail                                | Euro Retail                       |
| 1,2m                                            | -                             | -                         | 899,00                                     | 4.100,00                          |
| 1,5m                                            | 119,00                        | 399,00                    | -                                          | -                                 |
| 2m                                              | -                             | -                         | 1.199,00                                   | 4.900,00                          |



## Vinyl and Headphone Accessories

### GroundGoody Tonearm & Ground Wires

AudioQuest GroundGoody's use Direction-Controlled Perfect-Surface Conductors and Direct-Silver Plated (#10 stud) spades to help prevent hum and efficiently drain radio-frequency noise. Partner GroundGoody with any AudioQuest RCA cable to create a low-distortion and low-noise tonearm cable.



#### GroundGoody Saturn

Perfect-Surface Copper+ (PSC+) Conductors

| Length | Euro Retail |
|--------|-------------|
| 0,6m   | 27,95       |
| 1m     | 29,95       |
| 1,5m   | 31,95       |
| 2m     | 33,95       |
| 3m     | 37,95       |



#### GroundGoody Jupiter

Perfect-Surface Silver (PSS) Conductors

| Length | Euro Retail |
|--------|-------------|
| 0,6m   | 129,00      |
| 1m     | 199,00      |
| 1,5m   | 279,00      |
| 2m     | 359,00      |
| 3m     | 519,00      |

### Anti-Static Record Brush

Highly Conductive Carbon Fibers

Single

Euro Retail: 16,95



### Super-Conductive Anti-Static Record Brush

1 248.000 Highly Conductive Carbon Fibers

Single

Euro Retail: 29,95




### HL-5 Headshell Leads

Silk-wrapped Linear-Crystal Copper Litz Conductors

Set of 4

Euro Retail: 59,95



### NightBird Model One

- Fits NightHawk and NightOwl Headphones
- 3,5mm Stereo Plug - 2 x 2,5mm Mono Plugs
- PSC+ Conductors
- Noise-Dissipation
- Robust: Tested to 28.000 bends

| Length | Euro Retail |
|--------|-------------|
| 2m     | 99,00       |
| 3m     | 129,00      |
| 4m     | 159,00      |
| 5m     | 189,00      |



### Headphone Plug Adaptor

- Stereo 3.5mm Female > Stereo 6.3mm (1/4") Male
- Silver Plating Directly Over Extreme-Purity Brass
- Superior Materials and Firm Contact Pressure Ensure Ideal Signal Transfer

Euro Retail: 29,95



### Perch Headphone Stand

- Easily and safely accommodates all headphones
- High-quality materials
- Heavy base provides stability

Euro Retail: 89,00



# HDMI Cables

## Does AudioQuest Have the Right HDMI Cables for 4K and 8K TVs?

**4K/8K**  
ULTRA HIGH DEFINITION

**eARC**

**HDR**

**18G**  
bps

**HDMI®**  
HIGH SPEED  
with ETHERNET

**Yes!** All AudioQuest 18Gbps High Speed HDMI cables are guaranteed to have the 18Gbps bandwidth required for compelling features like 8K/30 video, HDR (High Dynamic Range) imagery, and eARC (enhanced Audio Return Channel).

### Video Up to 8K/30

AudioQuest 18Gbps High Speed HDMI cables have the bandwidth required for video up to 8K/30 (8-bit, 4:2:0), which is 7680 x 4320 resolution (over 33 million pixels) at up to 30 frames-per-second (fps). 24 and 30 fps are the frame rates for almost all movies and many TV shows. Currently, there is no widely available 8K content, nor are there any widely available 8K source components, so up-conversion in the TV is the likeliest scenario for 8K early adopters.

### HDR (High Dynamic Range)

AudioQuest 18Gbps High Speed HDMI cables support HDR (High Dynamic Range) and Dynamic HDR. HDR content expands the contrast of the image for blacker blacks and brighter whites/highlights as well as greater color saturation and brightness. In addition, 4K Ultra-HD content allows for a wider color range.

This combination of technologies results in more realistic HDR images with greater perceived depth. Dynamic HDR (HDR10+ and Dolby Vision, for example) enables frame-by-frame HDR optimization rather than HDR settings that are fixed for the entire program. The most prominent current HDR formats are HDR10, HDR10+, and Dolby Vision. AudioQuest 18Gbps High Speed HDMI cables are compatible with all these flavors of HDR, which can be found on Ultra-HD Blu-ray, iTunes, Vudu, and more.

### ARC (Audio Return Channel) and eARC (enhanced Audio Return Channel)

HDMI's Audio Return Channel (ARC) sends audio from a TV to a soundbar or AV receiver for greater simplicity and flexibility in system setup. Hardware's previous ARC capabilities max out at lossy (compressed) 5.1-channel surround sound. Not only do all generations of AudioQuest HDMI cables "with Ethernet" support ARC, but in order to ensure superior audio performance, the ARC-channel conductor-pair is internally controlled for direction, running in the opposite direction from the 4 pairs that carry information to the TV.

Some current TVs and AV receivers and upcoming HDMI 2.1 hardware support enhanced Audio Return Channel (eARC), which increases the digital bandwidth dramatically to support uncompressed and lossless high-resolution multichannel audio, including Dolby TrueHD and Atmos, and DTS-HD Master Audio and DTS: X. All AudioQuest HDMI cables "with Ethernet" have the conductors and bandwidth required for eARC's enhanced sonic capabilities.



## HDMI Digital Audio/Video Cables with Ethernet


All AudioQuest 18Gbps High Speed HDMI cables are guaranteed to have the 18Gbps bandwidth required for compelling features like 8K/30 video, HDR (High Dynamic Range) imagery, and eARC (enhanced Audio Return Channel).



| Model             | Pearl                                                  | Forest                                                 | Cinnamon                                                                                              | Chocolate                                                                                                  | Carbon                                                                                      | Cherry Cola<br>Active Optical              | Vodka            | Coffee<br>72V DBS Black | Diamond<br>72V DBS Carbon |
|-------------------|--------------------------------------------------------|--------------------------------------------------------|-------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|--------------------------------------------|------------------|-------------------------|---------------------------|
| Metal             | LGC                                                    | 0,5% Silver                                            | 1,25% Silver                                                                                          | 2,5% Silver                                                                                                | 5% Silver                                                                                   | Fused-Silica Fiber                         | 10% Silver       |                         | 100% Silver               |
| Conductor         | Solid Conductors                                       |                                                        |                                                                                                       |                                                                                                            |                                                                                             |                                            |                  |                         |                           |
| Noise-Dissipation |                                                        |                                                        | Metal-Layer Noise-Dissipation                                                                         |                                                                                                            | Carbon-Based Noise-Dissipation                                                              |                                            |                  |                         |                           |
| Jacket            | CMG (CL3/FT4)<br>Rated Black PVC<br>with White Stripes | CMG (CL3/FT4)<br>Rated Black PVC<br>with Green Stripes | Up to 3,0m:<br>Red/Black Braid;<br>4,0m and Longer:<br>In-Wall Rated Black<br>PVC with Red<br>Stripes | Up to 3,0m:<br>Brown/Black Braid;<br>4,0m and Longer:<br>In-Wall Rated Black<br>PVC with Brown-<br>Striped | Up to 3,0m: Dark<br>Gray/Black Braid;<br>4,0m and Longer:<br>In-Wall Rated Dark<br>Gray PVC | Gray with Red<br>Stripes CMP/FT6<br>Plenum | Blue/Black Braid | Brown/Black Braid       | Silver/Black Braid        |
| Length            | Euro Retail                                            | Euro Retail                                            | Euro Retail                                                                                           | Euro Retail                                                                                                | Euro Retail                                                                                 | Euro Retail                                | Euro Retail      | Euro Retail             | Euro Retail               |
| 0,6m              | 27,50                                                  | 39,00                                                  | 69,00                                                                                                 | 99,00                                                                                                      | 159,00                                                                                      | -                                          | 289,00           | 469,00                  | 1.029,00                  |
| 1m                | 29,00                                                  | 49,00                                                  | 75,00                                                                                                 | 109,00                                                                                                     | 185,00                                                                                      | -                                          | 319,00           | 549,00                  | 1.199,00                  |
| 1,5m              | 35,00                                                  | 59,00                                                  | 95,00                                                                                                 | 129,00                                                                                                     | 225,00                                                                                      | -                                          | 369,00           | 649,00                  | 1.399,00                  |
| 2m                | 39,00                                                  | 69,00                                                  | 109,00                                                                                                | 149,00                                                                                                     | 259,00                                                                                      | -                                          | 419,00           | 759,00                  | 1.649,00                  |
| 3m                | 55,00                                                  | 99,00                                                  | 139,00                                                                                                | 199,00                                                                                                     | 329,00                                                                                      | -                                          | 499,00           | 989,00                  | 1.999,00                  |
| 4m                | 89,00                                                  | 129,00                                                 | 189,00                                                                                                | 259,00                                                                                                     | 429,00                                                                                      | -                                          | -                | -                       | -                         |
| 5m                | 109,00                                                 | 149,00                                                 | 219,00                                                                                                | 319,00                                                                                                     | 529,00                                                                                      | 699,00                                     | -                | -                       | -                         |
| 8m                | 159,00                                                 | 239,00                                                 | 329,00                                                                                                | -                                                                                                          | -                                                                                           | -                                          | -                | -                       | -                         |
| 10m               | 219,00                                                 | 329,00                                                 | 439,00                                                                                                | -                                                                                                          | -                                                                                           | 799,00                                     | -                | -                       | -                         |
| 12,5m             | 259,00                                                 | 399,00                                                 | 529,00                                                                                                | -                                                                                                          | -                                                                                           | -                                          | -                | -                       | -                         |
| 15m               | 359,00                                                 | 529,00                                                 | -                                                                                                     | -                                                                                                          | -                                                                                           | 899,00                                     | -                | -                       | -                         |
| 20,0m             | -                                                      | -                                                      | -                                                                                                     | -                                                                                                          | -                                                                                           | 999,00                                     | -                | -                       | -                         |
| 25,0m             | -                                                      | -                                                      | -                                                                                                     | -                                                                                                          | -                                                                                           | 1.099,00                                   | -                | -                       | -                         |
| 30,0m             | -                                                      | -                                                      | -                                                                                                     | -                                                                                                          | -                                                                                           | 1.199,00                                   | -                | -                       | -                         |

HDMI Passive Pearl, Forest, Cinnamon, and Chocolate are also sold in Installer Packs. See page 57.

## HDMI Accessories



**HDMI 90°/W Adaptor**  
Wide Side [W]  
Right Angle Bend

**Euro Retail: 19,95**



**HDMI 90°/N Adaptor**  
Narrow Side [N]  
Right Angle Bend

**Euro Retail: 19,95**



**HDMI 90° NU/R Flat Adaptor**  
Narrow Up [NU]  
Bends Right

**Euro Retail: 19,95**



**HDMI 90° NU/L Flat Adaptor**  
Narrow Up [NU]  
Bends Left

**Euro Retail: 19,95**



**HDMI A ↔ C Adaptor**  
Standard [Type A] to  
Mini [Type C]

**Euro Retail: 19,95**



**HDMI A ↔ D Adaptor**  
Standard [Type A] to  
Micro [Type D]

**Euro Retail: 19,95**



**HDMI A → C/D Adaptor**  
Standard [Type A] to Mini [C]  
and Micro [D]

**Euro Retail: 19,95**



**HDMI A ↔ A Coupler**  
Female HDMI to Female  
HDMI

**Euro Retail: 19,95**



**Mini Display Port to  
HDMI 4K Adaptor**

**Euro Retail: 36,95**



**HDMI-IN > DVI-OUT  
Adaptor**

F-HDMI to M-DVI

**Euro Retail: 34,95**



**DVI-IN > HDMI-OUT  
Adaptor**

F-DVI to M-HDMI

**Euro Retail: 34,95**

Certain HDMI Adaptors are also sold in Installer Packs. See page 57.

# Digital-Audio Interconnect Cables

## *Perfect Sound Forever?*

That bold statement introduced CD players to the world back in 1983. Those claiming perfection believed ones and zeros to be so beyond reproach that traditional concerns about the integrity of the playback system had become irrelevant overnight. But the CD wasn't close to perfect. Those who listened quickly figured out that the equipment and cables in the audio system mattered every bit as much as they had in the analog era.

However, to this day, stating the truth in public that digital-audio cables can make minor to even staggering differences in an audio system's performance is like yelling, "food fight" in a crowded cafeteria—you'd better get ready to duck because there will be incoming.

Yet, the same kind of music lovers and listeners who heard the CD for what it is also know that soul-satisfying digital-audio playback requires the best digital-audio cables. And the best cables reduce the most noise and distortion.

Today, there are more ways to consume digital audio than ever. Many gave up silver discs for the convenience of inferior-sounding compressed downloads, and now we've seemingly got the best of both convenience and performance: We are able to stream high-res files to our phones and mobile devices and into our homes.

AudioQuest's digital-audio cables employ all of our proven techniques for minimizing noise and distortion: better metals, better geometry, better dielectric, Dielectric-Bias System (DBS), Noise-Dissipation, Direction-Controlled Conductors, and other ingredients needed for optimizing each specific application.

The digital future is brighter and more beautiful sounding than ever...*if* your digital-audio cables are capable of treating fragile audio data as it deserves to be treated—that is, with the love and respect reserved for music.



## Digital-Audio Interconnects: USB Cables

|                         |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
|-------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| USB A                   |  |  |  |  |  |  |
| USB B<br>*USB 2.0       | A - B                                                                             | A - B                                                                             | A - B                                                                              | A - B                                                                               | A - B                                                                               | A - B                                                                               |
| USB C<br>*USB 2.0       |                                                                                   | A - C<br>B - C<br>C - C                                                           | A - C<br>B - C<br>C - C                                                            | A - C<br>B - C<br>C - C                                                             |                                                                                     | A - C<br>B - C<br>C - C                                                             |
| Micro B 2.0<br>*USB 2.0 | A - Micro B 2.0                                                                   | A - Micro B 2.0                                                                   | A - Micro B 2.0                                                                    | A - Micro B 2.0                                                                     |                                                                                     | A - Micro B 2.0                                                                     |
| Micro B 3.0<br>*USB 3.0 |                                                                                   | 3.0 A - Micro B 3.0                                                               | 3.0 A - Micro B 3.0                                                                | 3.0 A - Micro B 3.0                                                                 |                                                                                     | 3.0 A - Micro B 3.0                                                                 |
| Lightning<br>*USB 2.0   |                                                                                   | A - Lightning<br>C - Lightning                                                    | A - Lightning<br>C - Lightning                                                     | A - Lightning<br>C - Lightning                                                      |                                                                                     | A - Lightning<br>C - Lightning                                                      |

| Model                      | Pearl                         | Forest                                                                                                                                   | Cinnamon                                                                                                                                 | Carbon                                                                                                                                   | Coffee<br>72V DBS Black | Diamond<br>72V DBS Black                                                                                                                 |
|----------------------------|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| Metal (USB A-B)            | Solid LGC                     | Solid 0,5% Silver                                                                                                                        | Solid 1,25% Silver                                                                                                                       | Solid 5% Silver                                                                                                                          | Solid 10% Silver        | Solid 100% PSS                                                                                                                           |
| Metal (All Other Versions) | LGC<br>Semi-Solid Concentric  | 0,5% Silver<br>Semi-Solid Concentric                                                                                                     | 1,25% Silver<br>Semi-Solid Concentric                                                                                                    | 5% Silver<br>Semi-Solid Concentric                                                                                                       | N/A                     | Solid 100% PSS                                                                                                                           |
| Dielectric                 | Hard-Cell Foam                |                                                                                                                                          |                                                                                                                                          |                                                                                                                                          |                         |                                                                                                                                          |
| Noise-Dissipation          | Metal-Layer Noise-Dissipation |                                                                                                                                          |                                                                                                                                          | Carbon-Based Noise-Dissipation for USB A - B and USB 3.0 A - 3.0 Micro                                                                   |                         |                                                                                                                                          |
| Jacket                     | Black PVC with White Stripes  | Black PVC with Green Stripes                                                                                                             | USB A-B: Red/Black Braid<br>All others: Black PVC with Red Stripes                                                                       | Gray/Black Braid                                                                                                                         | Brown/Black Braid       | USB A-B: Silver/Black Braid<br>All others: Black PVC with Silver Stripes                                                                 |
| Available Configurations   | USB A - B<br>USB A - Micro B  | USB A - B, USB A - C<br>USB A - Micro B 2.0<br>USB A - Lightning<br>USB 3.0 A - Micro B 3.0<br>USB B - C, USB C - C<br>USB C - Lightning | USB A - B, USB A - C<br>USB A - Micro B 2.0<br>USB A - Lightning<br>USB 3.0 A - Micro B 3.0<br>USB B - C, USB C - C<br>USB C - Lightning | USB A - B, USB A - C<br>USB A - Micro B 2.0<br>USB A - Lightning<br>USB 3.0 A - Micro B 3.0<br>USB B - C, USB C - C<br>USB C - Lightning | USB A - B               | USB A - B, USB A - C<br>USB A - Micro B 2.0<br>USB A - Lightning<br>USB 3.0 A - Micro B 3.0<br>USB B - C, USB C - C<br>USB C - Lightning |
| Length                     | Euro Retail                   | Euro Retail                                                                                                                              | Euro Retail                                                                                                                              | Euro Retail                                                                                                                              | Euro Retail             | Euro Retail                                                                                                                              |
| 0,15m                      | -                             | -                                                                                                                                        | 65,00                                                                                                                                    | -                                                                                                                                        | -                       | -                                                                                                                                        |
| 0,3m                       | -                             | -                                                                                                                                        | 69,00                                                                                                                                    | -                                                                                                                                        | -                       | -                                                                                                                                        |
| 0,75m                      | 39,00                         | 65,00                                                                                                                                    | 89,00                                                                                                                                    | 169,00                                                                                                                                   | 369,00                  | 649,00                                                                                                                                   |
| 1,5m                       | 49,00                         | 79,00                                                                                                                                    | 109,00                                                                                                                                   | 219,00                                                                                                                                   | 449,00                  | 799,00                                                                                                                                   |
| 3m                         | 69,00                         | 109,00                                                                                                                                   | 149,00                                                                                                                                   | 319,00                                                                                                                                   | 599,00                  | 1.099,00                                                                                                                                 |
| 5m                         | 99,00                         | 149,00                                                                                                                                   | 199,00                                                                                                                                   | 449,00                                                                                                                                   | 799,00                  | 1.499,00                                                                                                                                 |

## AudioQuest USB Connector Applications

|                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>USB A</b></p>   <p>For all devices that use the original USB connection.<br/>*USB 2.0</p> | <p><b>USB B</b></p>   <p>Typically for use with computer peripherals, such as hard drives and network devices, as well as digital-audio components, including DACs and streamers.<br/>*USB 2.0</p> | <p><b>USB C</b></p>   <p>Typically for use with newer devices, including desktops, laptops, smartphones, tablets, game consoles, hard drives, and more.<br/>*USB 2.0</p> | <p><b>Micro B 2.0</b></p>   <p>Typically for use with compact and mobile devices, including Android smartphones and computer peripherals.<br/>*USB 2.0</p> | <p><b>USB 3.0 A</b></p>   <p>SuperSpeed USB for transferring data at up to 5Gbps.<br/>*USB 3.0</p> | <p><b>Micro B 3.0</b></p>   <p>SuperSpeed USB for transferring data at up to 5Gbps, typically for use with smartphones, tablets, and computer peripherals.<br/>*USB 3.0</p> | <p><b>Lightning</b></p>   <p>For use with Apple devices, including iPhones and iPads.<br/>*USB 2.0</p> |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## USB Accessories



### USB A → C Adaptor

\*USB 3.0 A to USB 3.1 Type C

Euro Retail: 21,95



### USB B ↔ Micro B 2.0 Adaptor

Euro Retail: 16,95



### USB Mini B ↔ Micro B 2.0 Adaptor

Euro Retail: 16,95



### JitterBug


USB Data and Power Noise Filter

\*USB 2.0

Euro Retail: 69,00



## Digital-Audio Interconnects: Optical Cables



| Model             | Pearl                                        | Forest                                                                  | Cinnamon                                                              | Carbon                                 | Vodka                                   |
|-------------------|----------------------------------------------|-------------------------------------------------------------------------|-----------------------------------------------------------------------|----------------------------------------|-----------------------------------------|
| <b>Conductors</b> | Low-Dispersion Fiber                         |                                                                         | Lower-Dispersion<br>Higher-Purity Fiber                               | 19 Narrow-Aperture<br>Synthetic Fibers | 217 Narrow-Aperture<br>Synthetic Fibers |
| <b>Jacket</b>     | Black with Gray Stripes<br>In-Wall Rated PVC | 0,75m and 1,5m: Green/Black Braid<br>3,0m and Longer: In-Wall Rated PVC | 0,75m and 1,5m: Red/Black Braid<br>3,0m and Longer: In-Wall Rated PVC | Gray/Black Braid                       | Blue/Black Braid                        |
| <b>Length</b>     | <b>Euro Retail</b>                           | <b>Euro Retail</b>                                                      | <b>Euro Retail</b>                                                    | <b>Euro Retail</b>                     | <b>Euro Retail</b>                      |
| 0,75m             | 29,00                                        | 49,00                                                                   | 79,00                                                                 | 129,00                                 | 219,00                                  |
| 1,5m              | 35,00                                        | 59,00                                                                   | 99,00                                                                 | 159,00                                 | 299,00                                  |
| 3m                | 49,00                                        | 89,00                                                                   | 139,00                                                                | 219,00                                 | 459,00                                  |
| 5m                | 69,00                                        | 129,00                                                                  | 199,00                                                                | 299,00                                 | 689,00                                  |
| 8m                | 99,00                                        | 179,00                                                                  | 289,00                                                                | -                                      | -                                       |
| 12m               | 139,00                                       | 259,00                                                                  | 409,00                                                                | -                                      | -                                       |
| 16m               | 179,00                                       | 339,00                                                                  | 529,00                                                                | -                                      | -                                       |

Optical Pearl, Forest, and Cinnamon are also sold in Installer Packs. See page 56.

### Optical Accessory



**Optical Mini Adaptor**

**Euro Retail: 16,95**

## Digital-Audio Interconnects: Digital Coax Cables



| Model                               | Forest                        | Cinnamon                   | Carbon                                                       | Coffee<br>🟢 72V DBS Black                                 | Diamond<br>🟢 72V DBS Carbon | Wild<br>🟢 72V DBS Carbon                                           | WEL Signature<br>🟢 72V DBS Carbon                              |
|-------------------------------------|-------------------------------|----------------------------|--------------------------------------------------------------|-----------------------------------------------------------|-----------------------------|--------------------------------------------------------------------|----------------------------------------------------------------|
| Metal                               | 0,5% Silver                   | 1,25% Silver               | 5% Silver                                                    | 10% Silver                                                | 100% PSS                    |                                                                    |                                                                |
| Conductor                           | Solid Conductors              |                            |                                                              |                                                           |                             |                                                                    |                                                                |
| Gauge                               | 0,2mm²                        |                            | 0,41mm²                                                      |                                                           |                             |                                                                    |                                                                |
| Dielectric                          | Hard-Cell Foam                |                            |                                                              |                                                           |                             |                                                                    |                                                                |
| Noise-Dissipation                   | Metal-Layer Noise-Dissipation |                            | Carbon-Based Multi-Layer Noise-Dissipation                   |                                                           |                             | Carbon-Based Multi-Layer Noise-Dissipation, 2 x EMI Absorption     | Carbon-Based Multi-Layer Noise-Dissipation, 3 x EMI Absorption |
| Jacket                              | Black PVC with Green Stripes  | Red/Black Braid            | Black/Dark Gray Braid                                        | Brown/Black Braid                                         | Silver/Black Braid          | Navy Blue Braid                                                    | Black Braid                                                    |
| Terminations                        | Cold-Welded, Gold-Plated      |                            | Cold-Welded, Hanging-Silver Directly Over Pure Purple Copper | Cold-Welded, Hanging-Silver Directly Over Pure Red Copper |                             | Cold-Welded, Hanging-Silver Directly Over Machined Pure Red Copper |                                                                |
| Shield                              | Foil + Tinned Braid           | Foil + Silver-Plated Braid |                                                              | Silver-Plated Braid                                       |                             | Copper Foil + 100% PSS-Silver Spiral                               |                                                                |
| Length                              | Euro Retail                   | Euro Retail                | Euro Retail                                                  | Euro Retail                                               | Euro Retail                 | Euro Retail                                                        | Euro Retail                                                    |
| 0,75m                               | 35,00                         | 79,00                      | 199,00                                                       | 549,00                                                    | 1.079,00                    | 2.255,00                                                           | 3.740,00                                                       |
| 1m                                  | -                             | -                          | 219,00                                                       | 599,00                                                    | 1.199,00                    | 2.475,00                                                           | 4.125,00                                                       |
| 1,5m                                | 39,00                         | 99,00                      | 269,00                                                       | 699,00                                                    | 1.449,00                    | 2.915,00                                                           | 4.895,00                                                       |
| 2m                                  | -                             | -                          | 319,00                                                       | 799,00                                                    | 1.699,00                    | 3.355,00                                                           | 5.665,00                                                       |
| 3m                                  | 49,00                         | 139,00                     | 419,00                                                       | 999,00                                                    | 2.199,00                    | 4.235,00                                                           | 7.205,00                                                       |
| 5m                                  | 69,00                         | 199,00                     | 619,00                                                       | 1.399,00                                                  | 3.199,00                    | 5.995,00                                                           | 10.285,00                                                      |
| Other prepared lengths use formula: | -                             | -                          | 100,00/m + 119,00                                            | 200,00/m + 399,00                                         | 500,00/m + 699,00           | 880,00/m + 1.595,00                                                | 1.540,00/m + 2.585,00                                          |

Digital Coax Forest is also sold in Installer Packs. See page 57.

## Digital Coax Accessory



### RCA > BNC

Female RCA to Male BNC Adaptor

**Euro Retail: 9.95**

## Digital-Audio Interconnects: AES/EBU Cables



| Model                               | Carbon                                                       | Diamond<br>🟢 72V DBS Carbon                               | Wild<br>🟢 72V DBS Carbon                                           | WEL Signature<br>🟢 72V DBS Carbon                              |
|-------------------------------------|--------------------------------------------------------------|-----------------------------------------------------------|--------------------------------------------------------------------|----------------------------------------------------------------|
| Metal                               | 5% Silver                                                    | 100% PSS                                                  |                                                                    |                                                                |
| Conductor                           | Solid Conductors                                             |                                                           |                                                                    |                                                                |
| Gauge                               | 0,2mm²                                                       | 0,41mm²                                                   |                                                                    |                                                                |
| Dielectric                          | Hard-Cell Foam                                               |                                                           |                                                                    |                                                                |
| Noise-Dissipation                   | Carbon-Based Multi-Layer Noise-Dissipation                   |                                                           | Carbon-Based Multi-Layer Noise-Dissipation, 2 x EMI Absorption     | Carbon-Based Multi-Layer Noise-Dissipation, 3 x EMI Absorption |
| Jacket                              | Dark Gray/Black Braid                                        | Silver/Black Braid                                        | Navy Blue Braid                                                    | Black Braid                                                    |
| Termination                         | Cold-Welded, Hanging-Silver Directly Over Pure Purple Copper | Cold-Welded, Hanging-Silver Directly Over Pure Red Copper | Cold-Welded, Hanging-Silver Directly Over Machined Pure Red Copper |                                                                |
| Shield                              | Foil + Tinned Braid                                          |                                                           | Foil + Silver-Plated Spiral                                        |                                                                |
| Length                              | Euro Retail                                                  | Euro Retail                                               | Euro Retail                                                        | Euro Retail                                                    |
| 0,75m                               | 199,00                                                       | 1.079,00                                                  | 2.255,00                                                           | 3.740,00                                                       |
| 1m                                  | 219,00                                                       | 1.199,00                                                  | 2.475,00                                                           | 4.125,00                                                       |
| 1,5m                                | 269,00                                                       | 1.449,00                                                  | 2.915,00                                                           | 4.895,00                                                       |
| 2m                                  | 319,00                                                       | 1.699,00                                                  | 3.355,00                                                           | 5.665,00                                                       |
| 3m                                  | 419,00                                                       | 2.199,00                                                  | 4.235,00                                                           | 7.205,00                                                       |
| 5m                                  | 619,00                                                       | 3.199,00                                                  | 5.995,00                                                           | 10.285,00                                                      |
| Other prepared lengths use formula: | 100,00/m + 119,00                                            | 500,00/m + 699,00                                         | 880,00/m + 1.595,00                                                | 1.540,00/m + 2.585,00                                          |

## Digital-Audio Interconnects: Ethernet Cables (RJ/E)



| Model             | Pearl                                                   | Forest                                                | Cinnamon                                                                                               | Vodka                                                                                                              | Diamond<br>72V DBS Carbon |
|-------------------|---------------------------------------------------------|-------------------------------------------------------|--------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|---------------------------|
| Metal             | LGC                                                     | 0,5% Silver                                           | 1,25% Silver                                                                                           | 10% Silver                                                                                                         | 100% PSS                  |
| Conductor         | Solid Conductors                                        |                                                       |                                                                                                        |                                                                                                                    |                           |
| Dielectric        | Geometry Stabilizing Solid High-Density Polyethylene    |                                                       |                                                                                                        |                                                                                                                    |                           |
| Noise-Dissipation | Direction-Controlled Conductors                         |                                                       |                                                                                                        | Carbon-Based Noise-Dissipation                                                                                     |                           |
| Jacket            | CMG (CL3 & FT4) Rated<br>Black PVC with Gray Stripes    | CMG (CL3 & FT4) Rated<br>Black PVC with Green Stripes | Up to 3,0m: Red/Black Braid<br>5,0m and Longer:<br>CMG (CL3 & FT4) Rated<br>Black PVC with Red Stripes | Up to 3,0m: Blue/Black Braid<br>5,0m and Longer:<br>CMG (CL3 & FT4) Rated<br>Black PVC with Blue Stripes           | Silver/Black Braid        |
| Termination       | Gold-Plated Nickel Connectors with 100% Shield Coverage |                                                       |                                                                                                        | Precision-Made Low-Loss Ultra-Wide Bandwidth Telegärtner Connectors<br>with 100% Shield Coverage and Strain Relief |                           |
| Length            | Euro Retail                                             | Euro Retail                                           | Euro Retail                                                                                            | Euro Retail                                                                                                        | Euro Retail               |
| 0.75m             | 39,00                                                   | 59,00                                                 | 99,00                                                                                                  | 449,00                                                                                                             | 999,00                    |
| 1.5m              | 49,00                                                   | 79,00                                                 | 119,00                                                                                                 | 599,00                                                                                                             | 1.599,00                  |
| 3m                | 69,00                                                   | 109,00                                                | 159,00                                                                                                 | 849,00                                                                                                             | 2.899,00                  |
| 5m                | 99,00                                                   | 149,00                                                | 209,00                                                                                                 | 1.199,00                                                                                                           | 4.699,00                  |
| 8m                | 139,00                                                  | 209,00                                                | 289,00                                                                                                 | 1.699,00                                                                                                           | 7.399,00                  |
| 12m               | 199,00                                                  | 289,00                                                | 389,00                                                                                                 | 2.349,00                                                                                                           | 10.999,00                 |

Ethernet (RJ/E) Pearl, Forest and Cinnamon are also sold in Installer Packs. See page 57.

## Accessories




**Enhanced Performance  
(72V) Dielectric-Bias Pack - BLACK Model**  
with built-in radio-frequency noise-trap

**Euro Retail Each: 89,00**



**Maximum Performance  
(72V) Dielectric-Bias Pack - CARBON Model**  
with Level-1 pre-formed radio-frequency noise-trap

**Euro Retail Each: 139,00**



**SorboGel Q-Foot**



**Foot Tray**

**SorboGel Q-Feet System**

Set of 4 energy-absorbing feet each with a "tray" which improves performance and protects furniture. Each foot supports up to 4 kg.

**Euro Retail: 129,00**



**CleanScreen Kit**

150 ml Bottle + 10 ml Spray + Retractable Brush  
+ 2 x Microfiber Cloth

**Euro Retail: 29,95**



**Sorbothane Self-Stick Sheet**

15.24cm x 15.24cm x 0.25cm sheet can be cut to size to damp anything, especially effective on top surface of speaker stands.

**Euro Retail: 49,95**

Accessories



**RCA <> BNC Adaptor**  
Female RCA to/from Male BNC  
  
Euro Retail: 9,95



**F > RCA Male Adaptor**  
Female RCA to Male RCA  
  
Euro Retail: 12,95



**F > BNC Male Adaptor**  
75Ω  
  
Euro Retail: 12,95



**F > 2F Splitter**  
3GHz 75Ω  
  
Euro Retail: 19,95



**F > 4F Splitter**  
3GHz 75Ω  
  
Euro Retail: 25,95



**F <> F**  
75Ω Coupler  
  
Euro Retail: 9,95



**F-90°**  
Male <> Female Adaptor  
  
Euro Retail: 9,95



**Antenna 90°**  
Male <> Female Adaptor  
  
Euro Retail: 9,95

Antenna Cable



| Model                     | Antenna Forest                          |
|---------------------------|-----------------------------------------|
| Conductor                 | Solid 0.5% Silver                       |
| Shield                    | 3-Layer Shield: Foil + 90% Braid + Foil |
| CL3/FT4 Jacket            | Dark Gray with Green Stripes            |
| Application               |                                         |
| Male Coax - Male Coax     | Yes                                     |
| Male Coax - Female Coax   | Yes                                     |
| Female Coax - Female Coax | Yes                                     |
| F - F                     | Yes                                     |
| Length                    | Euro Retail                             |
| 1.5m                      | 35,00                                   |
| 3.0m                      | 45,00                                   |
| 4.5m                      | 55,00                                   |

## Accessories

### RCA-300

Fits cables up to 7,0mm O.D.  
Gold-Plated. Requires soldering.



**#300 Male**  
**Set of 4**  
**Euro Retail: 24,95**

**#300 Female**  
**Set of 4**  
**Euro Retail: 23,95**

### RCA-800

Fits cables up to 9,0mm O.D.  
Direct-Silver Plated. Requires soldering.



**#800 Male**  
**Set of 4**  
**Euro Retail: 69,95**

### XLR Connectors

Fits cables up to 9,0mm O.D.  
Direct-Silver Plated. Requires soldering.



**#81 Male**  
**Pair**  
**Euro Retail: 59,95**

**#80 Female**  
**Pair**  
**Euro Retail: 59,95**

### Right-Angle F, RCA & BNC Plugs

Fits cables up to 7,5mm O.D.  
Requires soldering.



**F-90°**  
**Gold-Plated**

**Euro Retail Per Pair: 24,95**



**RCA-90°**  
**Gold-Plated**

**Euro Retail Per Pair: 24,95**



**BNC-90°**  
**Gold-Plated (G) & Silver-Plated (S) available**

**Euro Retail Per Pair: 24,95**

## Accessories



### RJ45 Noise-Stopper Caps

AQ Noise-Stopper Caps fit over unused RJ45 inputs or outputs, preventing RFI and EMI noise from entering the active circuit. Noise-Stopper Caps also protect against dust and corrosion.

**Set of 4**  
**Euro Retail: 29,95**



### USB-A Noise-Stopper Caps

AQ Noise-Stopper Caps fit over unused USB inputs or outputs, preventing RFI and EMI noise from entering the active circuit. Noise-Stopper Caps also protect against dust and corrosion.

**Set of 4**  
**Euro Retail: 29,95**



### HDMI Noise-Stopper Caps

AQ Noise-Stopper Caps fit over unused HDMI inputs or outputs, preventing RFI and EMI noise from entering the active circuit. Noise-Stopper Caps also protect against dust and corrosion.

**Set of 4**  
**Euro Retail: 29,95**



### XLR Input (Female) Noise-Stopper Caps

Blocks a significant path for incoming high-frequency energy to interfere with circuit performance.

**Euro Retail Per Pair: 39,95**



### XLR Output (Male) Noise-Stopper Caps

Blocks a significant path for incoming high-frequency energy to interfere with circuit performance.

**Euro Retail Per Pair: 39,95**




### RCA Noise-Stopper Caps

Blocks a significant path for incoming high-frequency energy to interfere with circuit performance.

**Set of 10**  
**Euro Retail: 49,95**

## Tools

All the tools necessary to cut, strip, prepare, and terminate any AudioQuest bulk cable



**Cat6/6a/7 Crimper Tool and Die**  
Includes Cat6 and Cat 7 Die

**Euro Retail: 59,00**

**Cat6 Die**  
Also sold separately  
**Euro Retail: 20,00**



**Rivers Interconnect Crimper Tool**

Use with either AudioQuest Chicago RCA, Red River and Mackenzie RCA or XLR plugs.

**Euro Retail: 235,00**



**AQ Ratchet Crimper Tool**  
For up to 8,37 mm<sup>2</sup> Conductors

**Euro Retail: 75,00**



**Klein Crimper Tool**  
For connectors up to 5,26mm<sup>2</sup>

**Euro Retail: 65,00**



**Klein Cable Cutter**

**Euro Retail: 65,00**



**Wire Stripper/Cutter/Plier Combo Tool**

**Euro Retail: 17,00**



**Ideal Articulated Stripper**  
For 8,37 to 0,33 mm<sup>2</sup> Conductors

**Euro Retail: 60,00**



**Paladin Jacket Stripper**

Cleanly and easily removes the jacket on all AudioQuest Interconnect and Speaker Cables

**Euro Retail: 99,00**



**Binding-Post Wrench**

Real tool-quality double-ended nut driver with metal inserts.

Fits 11,11 mm and 12,7 mm binding posts.

**Euro Retail: 17,95**



**AQ Silver Solder**

Easy to use. Clearly sounds better.


**454g Solder**

**Euro Retail: 185,00**

**113.5g Solder**

**Euro Retail: 49,00**

## Instant Tool-less Connectors (ITC) for analog-audio, mini-coax, and RG6 cables on spools



### ITC One-Step Stripper for 18 and 24 AWG

For HD6, ITA, and ITV Cables

Euro Retail: 8,00

### 18 AWG connectors and cables for video, RF, digital, subwoofer



ITC-18G/RCA

Euro Retail per piece: 3,00

Supplied in bags of 50



ITC-18G/F

Euro Retail per piece: 3,00

Supplied in bags of 50



ITC-18G/BNC

Euro Retail per piece: 4,00

Supplied in bags of 50



ITC-18G EU/Coax M

Euro Retail per piece: 3,50

Supplied in bags of 50



ITC-18G EU/Coax F

Euro Retail per piece: 3,50

Supplied in bags of 50

### 24 AWG connectors and cables for analog-audio and video



ITC-24G/RCA

Euro Retail per piece: 3,00

Supplied in bags of 50



ITC-24G/F

Euro Retail per piece: 3,00

Supplied in bags of 50



ITC-24G/BNC

Euro Retail per piece: 4,00

Supplied in bags of 50

| Coax                     | HD6 Pearl                               | HD6 Forest                   | HD6 Carbon                                                 |
|--------------------------|-----------------------------------------|------------------------------|------------------------------------------------------------|
| <b>Metal</b>             | Solid Conductive-Coated Copper          | Solid 0,5% Silver            | Solid 5% Silver                                            |
| <b>Shield</b>            | 3-Layer Shield: Foil + 90% Braid + Foil |                              | 4-Layer Shield: Carbon-Loaded PE + Foil + 90% Braid + Foil |
| <b>CL3 Jacket Colors</b> | Dark Gray or White Stripes              | Gray, Green or White Stripes | Black, Gray, or White Stripes                              |
| <b>Length</b>            | <b>Euro Retail</b>                      | <b>Euro Retail</b>           | <b>Euro Retail</b>                                         |
| 76m                      | -                                       | -                            | 12,50/m                                                    |
| 152m                     | 2,50/m                                  | 5,00/m                       | -                                                          |

| Audio                         | ITA-1/1            | ITA-3/3            | ITA-5/5            |
|-------------------------------|--------------------|--------------------|--------------------|
| <b>Center Conductor Metal</b> | Solid LGC          | Solid PSC          | Solid PSC+         |
| <b>Neg. Conductor/ Shield</b> | LGC HyperLitz      | PSC HyperLitz      | PSC+ HyperLitz     |
| <b>CL3 Jacket</b>             | Blue               | Green              | Dark Gray          |
| <b>Length</b>                 | <b>Euro Retail</b> | <b>Euro Retail</b> | <b>Euro Retail</b> |
| 15m                           | 10,00/m            | -                  | -                  |
| 76m                           | 10,00/m            | 20,00/m            | 30,00/m            |
| 152m                          | 10,00/m            | -                  | -                  |

### Color bands for 18 and 24 AWG ITC connectors

Silicon rubber bands fit all ITC connectors—even after they're attached to the cable—for easy cable identification. Available in bags of 20. One color per bag – no mixed colors. Available in 10 colors.

Bag of 20  
Euro Retail:  
4,00



## In-Wall Rated Bulk Speaker Cables

16/2 + 14/2

16/4 + 14/4






| Model  | SLiP-DB 16/2                                                       | SLiP-DB 16/4 | SLiP-DB 14/2 | SLiP-DB 14/4 | SLiP XTRM 14/2                          | SLiP XTRM 14/4 | SLiP-LSZH 16/2                                                       | SLiP-LSZH 14/2 |
|--------|--------------------------------------------------------------------|--------------|--------------|--------------|-----------------------------------------|----------------|----------------------------------------------------------------------|----------------|
| Metal  | Semi-Solid Concentric LGC                                          |              |              |              | Semi-Solid True Concentric PSC and LGC  |                | Semi-Solid Concentric LGC                                            |                |
| Gauge  | 1,31mm²                                                            |              | 2,08mm²      |              |                                         |                | 1,31mm²                                                              | 2,08mm²        |
| Jacket | CL3/FT4 White PVC with Silver Stripes or Gray PVC with Red Stripes |              |              |              | CL3/FT4 Dark Gray PVC with Blue Stripes |                | LSZH (Low Smoke Zero Halogen)<br>Rated White PVC with Silver Stripes |                |
| Length | Euro Retail                                                        | Euro Retail  | Euro Retail  | Euro Retail  | Euro Retail                             | Euro Retail    | Euro Retail                                                          | Euro Retail    |
| 100m   | -                                                                  | -            | -            | -            | 2.000,00                                | 4.000,00       | -                                                                    | -              |
| 152m   | 684,00                                                             | 1.026,00     | 760,00       | 1.444,00     | -                                       | -              | 912,00                                                               | 1.140,00       |



| Model                 | Rocket 11                      | Rocket 22                              | Rocket 33                                         | Rocket 44                                        | Rocket 88                            |
|-----------------------|--------------------------------|----------------------------------------|---------------------------------------------------|--------------------------------------------------|--------------------------------------|
| Metal                 | Semi-Solid True-Concentric LGC | Semi-Solid True-Concentric PSC and LGC | Solid PSC and LGC                                 | Solid PSC+ and PSC                               | Solid PSC+                           |
| Gauge                 | 2,62mm²                        | 3,31mm²                                | 2,08mm²                                           | 2,62mm²                                          |                                      |
| Geometry              | Double-Spiral                  |                                        | Double Star-Quad                                  |                                                  |                                      |
| Dielectric            | PVC                            |                                        | Foamed-Polyethylene (For All Positive Conductors) |                                                  |                                      |
| Noise-Dissipation     | No                             |                                        | Carbon-Based Noise-Dissipation                    |                                                  |                                      |
| Jacket                | CL3/FT4 Black or White PVC     | CL3/FT4 Black or White PVC             | CL3/FT4 Black PVC with Red Stripes                | CL3/FT4 Black PVC with Gloss Black Matte Stripes | CL3/FT4 Black PVC with Green Stripes |
| Single BiWire Capable | Yes                            |                                        |                                                   |                                                  |                                      |
| Length                | Euro Retail                    | Euro Retail                            | Euro Retail                                       | Euro Retail                                      | Euro Retail                          |
| 50m                   | 750,00                         | 1.750,00                               | 2.000,00                                          | 4.250,00                                         | 5.750,00                             |
| 100m                  | 1.500,00                       | 3.500,00                               | 4.000,00                                          | -                                                | -                                    |

## Non-Rated Bulk Speaker Cables



| Model             | G2                             | X2                             | Q2                     | Type 5                                          | Type 9              |
|-------------------|--------------------------------|--------------------------------|------------------------|-------------------------------------------------|---------------------|
| <b>Metal</b>      | Semi-Solid Concentric LGC      |                                |                        | Solid PSC+ Sonic-Signature Conductors and LGC   | Solid PSC+          |
| <b>Gauge</b>      | 1,31mm <sup>2</sup>            | 2,08mm <sup>2</sup>            | 1,65mm <sup>2</sup>    | 1,65mm <sup>2</sup>                             | 1,65mm <sup>2</sup> |
| <b>Jacket</b>     | Dark Gray PVC or Off-White PVC | Dark Gray PVC or Off-White PVC | Black PVC or White PVC | Brown/Black Braid or Black PVC with Red Stripes | Red/Black Braid     |
| <b>Length</b>     | <b>Euro Retail</b>             | <b>Euro Retail</b>             | <b>Euro Retail</b>     | <b>Euro Retail</b>                              | <b>Euro Retail</b>  |
| <b>9,1m Pack</b>  | <b>55,00</b>                   | <b>80,00</b>                   | -                      | -                                               | -                   |
| <b>15,2m Pack</b> | <b>90,00</b>                   | <b>130,00</b>                  | -                      | -                                               | -                   |
| <b>30m Pack</b>   | <b>172,50</b>                  | <b>250,00</b>                  | -                      | -                                               | -                   |
| <b>50m</b>        | -                              | -                              | -                      | -                                               | <b>50,00/m</b>      |
| <b>100m</b>       | <b>5,75/m</b>                  | <b>8,25/m</b>                  | <b>11,50/m</b>         | <b>25,00/m</b>                                  | <b>50,00/m</b>      |

Note: For 50m & 100m spools, retail price per meter is listed. Other packaged lengths are shown with retail price per pack.



| Model                 | Rocket 33                                         | Rocket 44          | Rocket 88                            |
|-----------------------|---------------------------------------------------|--------------------|--------------------------------------|
| Metal                 | Solid PSC and LGC                                 | Solid PSC+ and PSC | Solid Perfect-Surface Copper+ (PSC+) |
| Gauge                 | 2,08mm²                                           | 2,62mm²            |                                      |
| Geometry              | Double Star-Quad                                  |                    |                                      |
| Dielectric            | Foamed-Polyethylene (For All Positive Conductors) |                    |                                      |
| Noise-Dissipation     | Carbon-Based Noise-Dissipation                    |                    |                                      |
| Jacket                | Red/Black Braid                                   | Silver/Black Braid | Green/Black Braid                    |
| Single BiWire Capable | Yes                                               |                    |                                      |
| Length                | Euro Retail                                       | Euro Retail        | Euro Retail                          |
| 50m                   | 40.00/m                                           | 85.00/m            | 115.00/m                             |
| 100m                  | 40.00/m                                           | -                  | -                                    |

Note: For 50m & 100m spools, retail price per meter is listed.

# SureGrip® Speaker Connectors

Fits up to 6.63mm<sup>2</sup> Speaker Cables



## SureGrip® 100 Banana

Direct-Silver or Gold over Beryllium-Copper

**Set of 8**

**Euro Retail: 49,95**

**Set of 12**

**Euro Retail: 74,95**

**Bag of 80**

**Euro Retail: 499,50**

**Bag of 120**

**Euro Retail: 749,50**



## SureGrip® 100 Multi-Spade

Direct-Silver or Gold Plating over Purple Copper

**Set of 8**

**Euro Retail: 49,95**

**Set of 12**

**Euro Retail: 74,95**

**Bag of 80**

**Euro Retail: 499,50**

**Bag of 120**

**Euro Retail: 749,50**



Allen Tool  
Included



## SureGrip® 300 Banana

Direct-Silver or Gold over Beryllium-Copper

**Set of 4**

**Euro Retail: 49,95**

**Tray of 40**

**Euro Retail: 499,50**



## SureGrip® 300 Multi-Spade

Direct-Silver or Gold Plating over Purple Copper

**Set of 4**

**Euro Retail: 49, 95**

**Tray of 40**

**Euro Retail: 499,50**



Allen Tool  
Included



Black  
Labels  
Included



## 500 Series Banana or Multi-Spade

Hanging-Silver or Hanging-Gold directly over pure Purple Copper.

**507** - Sized for 10,55mm<sup>2</sup> (same as original 500 connector)

**509** - Sized for 6,63mm<sup>2</sup>

**Set of 4 (Full Range)**

**Euro Retail: 119,00**

**Set of 6 (Single BiWire)**

**Euro Retail: 179,00**



Combination  
Allen and  
Phillips Tool  
Included



## 1000 Series Banana or Multi-Spade

Hanging-Silver directly over pure Red Copper.

**1003** - Sized for 26,67mm<sup>2</sup>

**1005** - Sized for 16,77mm<sup>2</sup>

**1007** - Sized for 10,55mm<sup>2</sup> (same as original 1000 connector)

**1009** - Sized for - 6,63mm<sup>2</sup>

**Set of 4 (Full Range)**

**Euro Retail: 199,00**

**Set of 6 (Single BiWire)**

**Euro Retail: 299,00**



Combination  
Allen and  
Phillips Tool  
Included

## Spade, Pin, and Banana Connectors

Supplied with Red and Black "Boots" (except 1002)


|                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                      |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p><b>1410/S 1410/G</b><br/>Direct-Silver Plated and Direct-Gold Plated<br/>Up to 2,08mm<sup>2</sup><br/>4,76mm Binding Post</p> <p><b>Set of 4</b><br/>Euro Retail: 12,50</p> <p><b>Pack of 40</b><br/>Euro Retail: 125,00</p>               |  <p><b>1010/S 1010/G</b><br/>Direct-Silver Plated and Direct-Gold Plated<br/>Up to 5,26mm<sup>2</sup><br/>4,76mm Binding Post</p> <p><b>Set of 4</b><br/>Euro Retail: 12,50</p> <p><b>Pack of 40</b><br/>Euro Retail: 125,00</p>           |  <p><b>1414/S 1414/G</b><br/>Direct-Silver Plated and Direct-Gold Plated<br/>Up to 2,08mm<sup>2</sup><br/>6,35mm Binding Post</p> <p><b>Set of 4</b><br/>Euro Retail: 12,50</p> <p><b>Pack of 40</b><br/>Euro Retail: 125,00</p>  |
|  <p><b>1014/S 1014/G</b><br/>Direct-Silver Plated and Direct-Gold Plated<br/>Up to 2,08mm<sup>2</sup><br/>6,35mm Binding Post</p> <p><b>Set of 4</b><br/>Euro Retail: 12, 50</p> <p><b>Pack of 40</b><br/>Euro Retail: 125,00</p>              |  <p><b>1056/S 1056/G</b><br/>Direct-Silver Plated and Direct-Gold Plated<br/>Up to 5,26mm<sup>2</sup><br/>7,94mm Binding Post</p> <p><b>Set of 4</b><br/>Euro Retail: 12,50</p> <p><b>Pack of 40</b><br/>Euro Retail: 125,00</p>           |  <p><b>P10M/S P10M/G</b><br/>Hanging-Silver and Hanging Gold<br/>Up to 5,26mm<sup>2</sup><br/>6,35mm and 7,94mm Binding Post</p> <p><b>Set of 4</b><br/>Euro Retail: 15,00</p> <p><b>Pack of 40</b><br/>Euro Retail: 150,00</p>   |
|  <p><b>BP10/S BP10/G</b><br/>Direct-Silver Plated and Direct-Gold Plated<br/>Up to 5,26mm<sup>2</sup><br/>Bendable Pin Fits Almost Everything</p> <p><b>Set of 4</b><br/>Euro Retail: 9,00</p> <p><b>Pack of 40</b><br/>Euro Retail: 90,00</p> |  <p><b>Crimp-BFA/S Crimp-BFA/G</b><br/>Direct-Silver Plated and Direct-Gold Plated<br/>Up to 6,63mm<sup>2</sup><br/>Standard Banana Jack</p> <p><b>Set of 4</b><br/>Euro Retail: 20,00</p> <p><b>Bag of 40</b><br/>Euro Retail: 200,00</p> |  <p><b>1002/S 1002/G</b><br/>Direct-Silver Plated and Direct-Gold Plated<br/>Up to 6,63mm<sup>2</sup><br/>Standard Banana Jack</p> <p><b>Set of 4</b><br/>Euro Retail: 30,00</p> <p><b>Pack of 40</b><br/>Euro Retail: 300,00</p> |

## Termination "Pants" for Speaker Cables



|                          | Full-Range  | Single BiWire |
|--------------------------|-------------|---------------|
| Model                    | Euro Retail | Euro Retail   |
| Rocket 11 Pants set of 4 | 12,95       | 12,95         |
| Rocket 22 Pants set of 4 | 12,95       | 12,95         |
| Rocket 33 Pants set of 4 | 12,95       | 12,95         |
| Rocket 44 Pants set of 4 | 12,95       | 12,95         |
| Rocket 88 Pants set of 4 | 12,95       | 12,95         |
| Type 5 Pants set of 4    | 12,95       | 12,95         |

## In-Wall Analog-Audio Bulk Cables



| Model             | Chicago                                           | Red River                                             | Mackenzie                                         |
|-------------------|---------------------------------------------------|-------------------------------------------------------|---------------------------------------------------|
| Metal             | Solid LGC                                         | Solid PSC                                             | Solid PSC+                                        |
| Geometry          | Double-Balanced                                   | Triple-Balanced (Separate Ground-Reference Conductor) |                                                   |
| Dielectric        | Hard-Cell Foam                                    |                                                       |                                                   |
| Noise-Dissipation | Metal-Layer Noise-Dissipation                     |                                                       | Carbon-Based Multi-Layer Noise-Dissipation        |
| Jacket            | Green/Black Braid or Black PVC with Green Stripes | Red/Black Braid or Black PVC with Red Stripes         | Brown/Black Braid or Black PVC with Brown Stripes |
| Length            | Euro Retail                                       | Euro Retail                                           | Euro Retail                                       |
| 50m               | -                                                 | -                                                     | 25,00/m                                           |
| 100m              | 5,00/m                                            | 10,00/m                                               | -                                                 |

### Field Termination Connectors

To download Chicago, Red River, and Mackenzie cable termination manuals, go to <https://www.audioquest.com/custom-install/manuals>



#### Rivers Interconnect Crimper Tool

Use with either AudioQuest Chicago RCA, Red River and Mackenzie RCA or XLR plugs.

**Euro Retail: 235,00**



#### Chicago RCA

Cold-Welded, Gold-Plated

**Set of 4**

**Euro Retail: 69,00**



#### Red River RCA

Cold-Welded, Gold-Plated

**Set of 4**

**Euro Retail: 69,00**



#### Red River XLR

Cold-Welded, Gold-Plated

**Set of 4**

**Euro Retail: 129,00**



#### Mackenzie RCA

Cold-Welded, Hanging-Silver  
directly over pure Purple Copper

**Set of 4**

**Euro Retail: 99,00**







#### Mackenzie XLR

Cold-Welded, Hanging-Silver  
directly over pure Purple Copper

**Set of 4**

**Euro Retail: 149,00**

## CAT6 and CAT7 Ethernet Bulk Cables

|            |                                                                                            |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
|------------|--------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|            |           |  |  |  |  |
|            | CAT 600 DCP                                                                                | CAT 600 FMJ                                                                        | CAT 700 Pearl                                                                       | CAT 700 Forest                                                                      | CAT 700 Carbon                                                                      |
| Metal      | Solid LGC                                                                                  |                                                                                    |                                                                                     | Solid 0,5% Silver                                                                   | Solid 5% Silver                                                                     |
| Shield     | N/A                                                                                        | Overall Shield                                                                     | Overall Shield and Individual Pairs                                                 |                                                                                     |                                                                                     |
| Gauge      | 23 AWG                                                                                     |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
| Dielectric | Solid High-Density Polyethylene                                                            |                                                                                    | Hard-Cell Foam                                                                      |                                                                                     |                                                                                     |
| Jacket     | CMG (CL3/FT4) Rated<br>White PVC with Black Stripes or<br>Dark Gray PVC with White Stripes | CMG (CL3/FT4) Rated<br>White or Black PVC with Blue Stripes                        | CMG (CL3/FT4) Rated<br>White or Medium Gray PVC<br>with Yellow PVC                  | CMG (CL3/FT4) Rated<br>White PVC with Green Stripes                                 | CMG (CL3/FT4) Rated<br>Dark Gray PVC with Black Stripes                             |
| Length     | Euro Retail                                                                                | Euro Retail                                                                        | Euro Retail                                                                         | Euro Retail                                                                         | Euro Retail                                                                         |
| 152m       | -                                                                                          | 4,25/m                                                                             | 7,50/m                                                                              | 13,75/m                                                                             | 55,00/m                                                                             |
| 304m       | 3,25/m                                                                                     | -                                                                                  | -                                                                                   | -                                                                                   | -                                                                                   |

### CAT6/7 Connectors

To download CAT600 and CAT700 cable termination manuals, go to <https://www.audioquest.com/custom-install/manuals>



Load Bar   Connector   Boot

#### CAT600 DCP Connectors

Fits all standard Cat6 cables

**Each Euro   Bag of 50**  
**Retail: 1,75   Euro Retail: 87,50**



Load Bar   Connector   Boot

#### CAT700 Connectors

Fits all standard Cat6a/Cat7 cables

**Each Euro   Bag of 50**  
**Retail: 3,25   Euro Retail: 162,50**



#### CAT700 Telegärtner Connector

Fits all standard Cat6a/Cat7 cables

**Each**  
**Euro Retail: 25,00**

# Installer Packs

## Cables and Accessories in Installer-Friendly bags instead of hanging boxes.

Installer Packs provide exactly what you need to get the job done. Each Pack includes a number of high-value, high-performance AudioQuest pieces and comes with convenient integrated labels that you can peel off and place on your invoice. No retail packaging, no garbage in your truck, no excess waste or cost.



### Analog-Audio Interconnect Cables

Packs of 5



|        | Tower            | Golden Gate      | Alpha-Snake               |
|--------|------------------|------------------|---------------------------|
| Length | Retail Per Cable | Retail Per Cable | Retail Per Pair of Cables |
| 0,5m   | -                | -                | 22,50                     |
| 0,6m   | 27,95            | 75,00            | -                         |
| 1m     | 29,95            | 79,00            | 25,00                     |
| 2m     | 35,95            | 95,00            | 30,00                     |
| 3m     | 41,95            | 109,00           | 35,00                     |

0,6m available in RCA - RCA only.  
1,0 – 3,0m available in RCA - RCA, 3,5mm - RCA, 3,5mm - 3,5mm.

### Optical Cables

Packs of 5



|        | Pearl                 | Forest                | Cinnamon              |
|--------|-----------------------|-----------------------|-----------------------|
| Length | Euro Retail Per Cable | Euro Retail Per Cable | Euro Retail Per Cable |
| 0,75m  | 29,00                 | 49,00                 | 79,00                 |
| 1,5m   | 35,00                 | 59,00                 | 99,00                 |
| 3m     | 49,00                 | 89,00                 | 139,00                |

Available in Full-to-Full configurations only.

### AC Power C7 90° Adaptors

Packs of 10



| E = Equal radius      | U = Unequal radius    |
|-----------------------|-----------------------|
| Euro Retail per piece | Euro Retail per piece |
| 17,95                 | 17,95                 |

### Analog-Audio FLX-X RCA Splitters

Packs of 5



| M22F                  | F22M                  |
|-----------------------|-----------------------|
| Euro Retail per piece | Euro Retail per piece |
| 19,95                 | 19,95                 |

## HDMI Cables


Packs of 5



|        | Pearl                 | Forest                | Cinnamon              | Chocolate             |
|--------|-----------------------|-----------------------|-----------------------|-----------------------|
| Length | Euro Retail Per Cable | Euro Retail Per Cable | Euro Retail Per Cable | Euro Retail Per Cable |
| 0,6m   | 27,50                 | 39,00                 | 69,00                 | 99,00                 |
| 1m     | 29,00                 | 49,00                 | 75,00                 | 109,00                |
| 1,5m   | 35,00                 | 59,00                 | 95,00                 | 129,00                |
| 2m     | 39,00                 | 69,00                 | 109,00                | 149,00                |
| 3m     | 55,00                 | 99,00                 | 139,00                | 199,00                |
| 4m     | -                     | 129,00                | 189,00                | 259,00                |
| 5m     | 109,00                | 149,00                | 219,00                | 319,00                |

## HDMI Adaptors

Packs of 5



| HDMI 90°/W            | HDMI 90°/N            | HDMI 90° NU/R         | HDMI 90° NU/L         | HDMI Coupler          |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Euro Retail per piece | Euro Retail per piece | Euro Retail per piece | Euro Retail per piece | Euro Retail per piece |
| 19,95                 | 19,95                 | 19,95                 | 19,95                 | 19,95                 |

## Ethernet Cables (RJ/E)

Packs of 5



|        | Pearl                 | Forest                | Cinnamon              |
|--------|-----------------------|-----------------------|-----------------------|
| Length | Euro Retail Per Cable | Euro Retail Per Cable | Euro Retail Per Cable |
| 0,75m  | 39,00                 | 59,00                 | 99,00                 |
| 1,5m   | 49,00                 | 79,00                 | 119,00                |
| 3m     | 69,00                 | 109,00                | 159,00                |
| 5m     | 99,00                 | 149,00                | 209,00                |

## Digital Coax Cables

Packs of 5



|        | Forest                |
|--------|-----------------------|
| Length | Euro Retail Per Cable |
| 0,75m  | 35,00                 |
| 1,5m   | 39,00                 |
| 3m     | 49,00                 |
| 5m     | 69,00                 |

## AudioQuest Branded Point of Purchase (POP) Materials



Slat Wall Sign



Acrylic Wall Sign - Red




Acrylic Wall Sign - Black



Tent Card



Window Sticker



**Individual Spool Holder**

Rugged metal Spool holder will hold almost all AQ Spools. Supplied with slat wall brackets.



**In-Store Display Rack**

Spool holder sold separately.  
Dimensions: 76"(h) x 35"(w) x 13"(d)



**Standalone Display Rack**

## AudioQuest Branded Promotional Items

*Please check with Roosendaal for availability and price*



### Polo Shirt

Our versatile polo shirt looks great with anything. Classic black with a discreet silver AudioQuest logo.

Men's sizes: S-2XL; Women's sizes: S-XL.



### T-Shirt

Our classic crewneck t-shirt is made from 100% lightweight, preshrunk cotton for a perfect fit that's as attractive as it is comfortable. Our t-shirt features a tasteful red AudioQuest logo against a solid black background.

Sizes: S-3XL



### Hooded Jacket

Our ultra-comfortable jacket features a three-panel hood with drawcords and toggles for a warm, snug fit. The zippered front, open hand pockets, and zippered sleeve pocket add convenience and style. The colorblocked gray-and-black design highlights a subtle AudioQuest logo in silver.

Sizes: S-3XL



### Chino Washed Cotton Baseball Cap

Our baseball cap has a durable 8-stitch bill for a long-lasting, contoured shape. The Velcro fastener provides easy adjustments for a perfect fit. Available in black with red AudioQuest logo and trim, this cap looks and feels great. One size fits all.



### Beanie

Red, gray, and black, with our classic red AudioQuest logo, our stylish beanie is made from super-stretch, fine-gauge acrylic, for a warm, snug fit over your head and ears. The perfect accessory for those cooler days. One size fits all.



### Pen

Take note: With its discreet AQ logo, piano-black lacquered tube, and chrome accents, this ballpoint pen has the looks to match the quality of your prose. Keep it in your AudioQuest backpack and take it with you wherever you go.



### Tumbler

With its double-wall vacuum construction and copper insulation, this 414ml tumbler keeps drinks hot for 8 hours or cold for a full 24. The external design provides a comfortable gripping surface and prevents condensation from forming on the outside of the tumbler. Perfect for use while on the go, the push-on lid with thumb slider affords mess-free sipping.



### Water Bottle

Made by Specialized, this 769ml leak-proof water bottle has a self-sealing valve and features easy-to-squeeze BPA-free, recyclable plastic. Our distinct Wolves artwork is printed with a non-solvent based, CPSC-approved ink. Just aim and squeeze for clean, pure refreshment.

## AudioQuest Branded Promotional Items

*Please check with Roosendaal for availability and price*



### License Plate Holder

It's all about the journey. Take your love for AudioQuest on the road with this license-plate frame. The clean, simple design features our red AudioQuest logo and "Experience the Difference" mantra set against a black background—perfect for any ride. Vroom!



### Backpack

Available in black with our black AudioQuest and Four Elements logos. Accommodates laptops with 13" screens and tablets. Made of nylon.



### Padded Backpack

Do no harm with our padded backpack. It features a discreet front-panel zipper, multiple internal pockets, and mesh side pockets for drinks and other items. A padded laptop insert safely accommodates screens up to 15". Mesh backing and straps are durable and comfortable, making the backpack as easy to carry as it is to wear.



### Tote Bag

This super-durable tote bag is made of water-repellent polyester and has a long strap that fits easily over a shoulder. Measuring 38cm x 36.5cm, its slim pocket is perfect for carrying AudioQuest merchandise—pens, tumblers, price books—and even an LP or two! The simple black-on-black design features a subtly stylish AQ logo.

# Index

## A

### AC Power Cables

|                                   |    |
|-----------------------------------|----|
| Blizzard .....                    | 12 |
| Dragon (High-Current) .....       | 13 |
| Dragon (Source) .....             | 13 |
| FireBird (High-Current) .....     | 13 |
| FireBird (Source) .....           | 13 |
| Hurricane (High-Current) .....    | 13 |
| Hurricane (Source) .....          | 13 |
| Mistral AC Power Bulk Cable ..... | 12 |
| Mistral IEC C-13 Plug .....       | 12 |
| Mistral IEC C-19 Plug .....       | 12 |
| Mistral Wall Plug .....           | 12 |
| Monsoon .....                     | 12 |
| NRG-X2 .....                      | 11 |
| See also Installer Packs, pg. 56  |    |
| NRG-X3 .....                      | 11 |
| See also Installer Packs, pg. 56  |    |
| NRG-Y2 .....                      | 11 |
| See also Installer Packs, pg. 56  |    |
| NRG-Y3 .....                      | 11 |
| See also Installer Packs, pg. 56  |    |
| NRG-Z2 .....                      | 11 |
| See also Installer Packs, pg. 56  |    |
| NRG-Z3 .....                      | 11 |
| See also Installer Packs, pg. 56  |    |
| Silver Cloud .....                | 12 |
| Thunder (High-Current) .....      | 13 |
| Tornado (High-Current) .....      | 13 |
| Tornado (Source) .....            | 13 |

### AC Power Conditioners

|                    |   |
|--------------------|---|
| Niagara 1200 ..... | 9 |
| Niagara 3000 ..... | 9 |
| Niagara 5000 ..... | 9 |
| Niagara 7000 ..... | 9 |
| PowerQuest 2 ..... | 9 |
| PowerQuest 3 ..... | 9 |

### Acrylic Wall Sign - Black, Red .....

### Adaptors

|                                      |    |
|--------------------------------------|----|
| C7 90° Adaptor Kit .....             | 14 |
| See also Installer Packs, pg. 56     |    |
| DragonTail A to C Adaptor .....      | 7  |
| DragonTail USB A 2.0 Extender .....  | 7  |
| DragonTail USB A to Micro Adaptor .. | 7  |
| DVI-IN to HDMI-OUT Adaptor .....     | 36 |
| F-90° Adaptor .....                  | 45 |
| FLX-Mini/RCA Adaptor .....           | 29 |
| F to BNC Male Adaptor .....          | 45 |
| F to RCA Male Adaptor .....          | 45 |

|                                     |    |
|-------------------------------------|----|
| Hard Mini/RCA Adaptor .....         | 29 |
| HDMI 90°/W Adaptor .....            | 36 |
| See also Installer Packs, pg. 57    |    |
| HDMI 90°/N Adaptor .....            | 36 |
| See also Installer Packs, pg. 57    |    |
| HDMI 90° NU/L Flat Adaptor .....    | 36 |
| See also Installer Packs, pg. 57    |    |
| HDMI 90° NU/R Flat Adaptor .....    | 36 |
| See also Installer Packs, pg. 57    |    |
| HDMI A - A Coupler .....            | 36 |
| HDMI A - C Adaptor .....            | 36 |
| HDMI A - D Adaptor .....            | 36 |
| HDMI A to C/D Adaptor .....         | 36 |
| HDMI-IN to DVI-OUT Adaptor .....    | 36 |
| IEC90/1 .....                       | 14 |
| IEC90/2 .....                       | 14 |
| M21F-90 Adaptor .....               | 29 |
| Mini Display Port to HDMI 4K        |    |
| Adaptor .....                       | 36 |
| Optical Mini Adaptor .....          | 40 |
| RCA - BNC Adaptor .....             | 45 |
| RCA to BNC .....                    | 41 |
| USB A to C Adaptor .....            | 39 |
| USB B - Micro B 2.0 Adaptor .....   | 39 |
| USB Mini B - Micro B 2.0 Adaptor .. | 39 |

### AES/EBU Cables

|                     |    |
|---------------------|----|
| Carbon .....        | 42 |
| Diamond .....       | 42 |
| WEL Signature ..... | 42 |
| Wild .....          | 42 |

### Analog-Audio Interconnect Cables

|                                  |    |
|----------------------------------|----|
| Alpha-Snake                      |    |
| See Installer Packs, pg. 56      |    |
| Angel .....                      | 27 |
| Big Sur .....                    | 27 |
| Chicago .....                    | 28 |
| See also Bulk Cables, pg. 54     |    |
| Earth .....                      | 28 |
| Evergreen .....                  | 27 |
| Fire .....                       | 28 |
| Golden Gate .....                | 27 |
| See also Installer Packs, pg. 56 |    |
| Mackenzie .....                  | 28 |
| See also Bulk Cables, pg. 54     |    |
| Red River .....                  | 28 |
| See also Bulk Cables, pg. 54     |    |
| Sydney .....                     | 27 |
| Tower .....                      | 27 |
| See also Installer Packs, pg. 56 |    |
| Victoria .....                   | 27 |
| Water .....                      | 28 |
| Wind .....                       | 28 |

|                     |    |
|---------------------|----|
| Yosemite .....      | 27 |
| Yukon .....         | 28 |
| Antenna Cable ..... | 45 |

## B

|                        |    |
|------------------------|----|
| Backpack .....         | 60 |
| Backpack, Padded ..... | 60 |
| Baseball Cap .....     | 59 |
| Beanie .....           | 59 |
| BiWire Jumpers         |    |

|                        |    |
|------------------------|----|
| BiWire Jumpers-G ..... | 25 |
| BiWire Jumpers-S ..... | 25 |
| Jupiter (PSS) .....    | 25 |
| Saturn (PSC+) .....    | 25 |

### Bulk Cables

|                      |        |
|----------------------|--------|
| CAT600 DCP .....     | 55     |
| CAT600 FMJ .....     | 55     |
| CAT700 Carbon .....  | 55     |
| CAT700 Forest .....  | 55     |
| CAT700 Pearl .....   | 55     |
| Chicago .....        | 54     |
| G2 .....             | 51     |
| HD6 Carbon .....     | 49     |
| HD6 Forest .....     | 49     |
| HD6 Pearl .....      | 49     |
| ITA-1/1 .....        | 49     |
| ITA-3/3 .....        | 49     |
| ITA-5/5 .....        | 49     |
| Mackenzie .....      | 54     |
| Q2 .....             | 51     |
| Red River .....      | 54     |
| Rocket 11 .....      | 50     |
| Rocket 22 .....      | 50     |
| Rocket 33 .....      | 50, 51 |
| Rocket 44 .....      | 50, 51 |
| Rocket 88 .....      | 50, 51 |
| SLiP-DB 14/2 .....   | 50     |
| SLiP-DB 14/4 .....   | 50     |
| SLiP-DB 16/2 .....   | 50     |
| SLiP-DB 16/4 .....   | 50     |
| SLiP LSZH 16/2 ..... | 50     |
| SLiP LSZH 14/2 ..... | 50     |
| SLiP XTRM 14/2 ..... | 50     |
| SLiP XTRM 14/4 ..... | 50     |
| Type 5 .....         | 51     |
| Type 9 .....         | 51     |
| X2 .....             | 51     |

## C

|                       |    |
|-----------------------|----|
| CleanScreen Kit ..... | 44 |
|-----------------------|----|

## Connectors

|                                   |    |
|-----------------------------------|----|
| 500 Series Banana .....           | 52 |
| 500 Series Multi-Spade .....      | 52 |
| 1000 Series Banana .....          | 52 |
| 1000 Series Multi-Spade .....     | 52 |
| CAT600 DCP Connectors .....       | 55 |
| CAT600 FMJ Connectors .....       | 55 |
| CAT700 Connectors .....           | 55 |
| CAT700 Telegärtner Male Connector | 55 |
| Chicago RCA .....                 | 54 |
| Color Bands for 18 and 24 AWG ITC |    |
| Connectors .....                  | 49 |
| Crimp Speaker Cable Connectors .. | 53 |
| F-90° .....                       | 46 |
| ITC-18G/BNC .....                 | 49 |
| ITC-18G/F .....                   | 49 |
| ITC-18G/RCA .....                 | 49 |
| ITC-24G/BNC .....                 | 49 |
| ITC-24G/F .....                   | 49 |
| ITC-24G/RCA .....                 | 49 |
| Mackenzie RCA .....               | 54 |
| Mackenzie XLR .....               | 54 |
| Pin Connectors .....              | 53 |
| RCA-90° .....                     | 46 |
| RCA-300 .....                     | 46 |
| RCA-800 .....                     | 46 |
| Red River RCA .....               | 54 |
| Red River XLR .....               | 54 |
| Spade Connectors .....            | 53 |
| SureGrip 100 Banana .....         | 52 |
| SureGrip 100 Multi-Spade .....    | 52 |
| SureGrip 300 Banana .....         | 52 |
| SureGrip 300 Multi-Spade .....    | 52 |
| XLR Connectors .....              | 46 |

### Couplers

|                                  |    |
|----------------------------------|----|
| F - F Coupler .....              | 45 |
| HDMI A - A Coupler               |    |
| See also Installer Packs, pg. 57 |    |
| RCA - RCA Coupler .....          | 29 |

## D

### Dielectric-Bias Pack - 72V DBS Black, Enhanced Performance .....

### Dielectric-Bias Pack - 72V DBS Carbon, Maximum Performance .....

### Digital Coax Cables

|                |    |
|----------------|----|
| Carbon .....   | 41 |
| Cinnamon ..... | 41 |
| Coffee .....   | 41 |
| Diamond .....  | 41 |
| Forest .....   | 41 |

# Index

|                                         |    |
|-----------------------------------------|----|
| <i>See also Installer Packs, pg. 57</i> |    |
| WEL Signature.....                      | 41 |
| Wild.....                               | 41 |
| <b>Display Rack, In-Store</b> .....     | 58 |
| <b>Display Rack, Standalone</b> .....   | 58 |
| <b>DragonFly Black</b> .....            | 7  |
| <b>DragonFly Cobalt</b> .....           | 7  |
| <b>DragonFly Red</b> .....              | 7  |

## E

|                                         |    |
|-----------------------------------------|----|
| <b>Ethernet Cables (RJ/E)</b>           |    |
| Cinnamon.....                           | 43 |
| <i>See also Installer Packs, pg. 57</i> |    |
| Diamond.....                            | 43 |
| Forest.....                             | 43 |
| <i>See also Installer Packs, pg. 57</i> |    |
| Pearl.....                              | 43 |
| <i>See also Installer Packs, pg. 57</i> |    |
| Vodka.....                              | 43 |

## F

|                          |        |
|--------------------------|--------|
| <b>Fog Lifters</b> ..... | 14, 25 |
|--------------------------|--------|

## G

|                                  |    |
|----------------------------------|----|
| <b>GroundGoody Jupiter</b> ..... | 33 |
| <b>GroundGoody Saturn</b> .....  | 33 |

## H

|                                         |    |
|-----------------------------------------|----|
| <b>HDMI Cables</b>                      |    |
| Carbon.....                             | 35 |
| Cherry Cola Active Optical.....         | 35 |
| Chocolate.....                          | 35 |
| <i>See also Installer Packs, pg. 57</i> |    |
| Cinnamon.....                           | 35 |
| <i>See also Installer Packs, pg. 57</i> |    |
| Coffee.....                             | 35 |
| Diamond.....                            | 35 |
| Forest.....                             | 35 |
| <i>See also Installer Packs, pg. 57</i> |    |
| Pearl.....                              | 35 |
| <i>See also Installer Packs, pg. 57</i> |    |
| Vodka.....                              | 35 |
| <b>Headphone Plug Adaptor</b> .....     | 33 |
| <b>HL-5 Headshell Leads</b> .....       | 33 |
| <b>Hooded Jacket</b> .....              | 59 |

## J

|                                         |   |
|-----------------------------------------|---|
| <b>JitterBug</b> .....                  | 7 |
| <i>See also USB Accessories, pg. 39</i> |   |

## L

|                            |    |
|----------------------------|----|
| <b>License Plate</b> ..... | 60 |
|----------------------------|----|

## N

|                                            |    |
|--------------------------------------------|----|
| <b>NightBird Model One</b> .....           | 33 |
| <b>Noise-Stopper Caps</b>                  |    |
| HDMI Noise-Stopper Caps.....               | 47 |
| RCA Noise-Stopper Caps.....                | 47 |
| RJ45 Noise-Stopper Caps.....               | 47 |
| USB-A Noise-Stopper Caps.....              | 47 |
| XLR Input (Female) Noise-Stopper Caps..... | 47 |
| XLR Output (Male) Noise-Stopper Caps.....  | 47 |

## O

|                       |    |
|-----------------------|----|
| <b>Optical Cables</b> |    |
| Carbon.....           | 40 |
| Cinnamon.....         | 40 |
| Diamond.....          | 40 |
| Forest.....           | 40 |
| Pearl.....            | 40 |
| Vodka.....            | 40 |

## P

|                                             |        |
|---------------------------------------------|--------|
| <b>Pen</b> .....                            | 59     |
| <b>Perch Headphone Stand</b> .....          | 33     |
| <b>Point of Purchase (POP) Materials</b> .. | 58     |
| <b>Polo Shirt</b> .....                     | 59     |
| <b>PreAmp Jumpers</b> .....                 | 29     |
| <b>Promotional Items, AQ Branded</b> .....  | 59, 60 |

## R

|                                                         |    |
|---------------------------------------------------------|----|
| <b>Record Brush, Anti-Static</b> .....                  | 33 |
| <b>Record Brush, Super-Conductive Anti-Static</b> ..... | 33 |
| <b>RJ/E Ethernet Cables</b> .....                       | 43 |

## S

|                                          |    |
|------------------------------------------|----|
| <b>Silver Solder</b> .....               | 48 |
| <b>Slat Wall Sign</b> .....              | 58 |
| <b>SorboGel Q-Feet System</b> .....      | 44 |
| <b>Sorbothane Self-Stick Sheet</b> ..... | 44 |

## Speaker Cables

|                                       |    |
|---------------------------------------|----|
| Dragon BASS.....                      | 24 |
| Dragon BiWire COMBO.....              | 24 |
| Dragon ZERO.....                      | 24 |
| FireBird BASS.....                    | 23 |
| FireBird BiWire COMBO.....            | 23 |
| FireBird ZERO.....                    | 23 |
| Q2.....                               | 18 |
| <i>See also Bulk Cables, pg. 51</i>   |    |
| Robin Hood BASS.....                  | 20 |
| Robin Hood BiWire COMBO.....          | 20 |
| Robin Hood SILVER.....                | 20 |
| Robin Hood SILVER BiWire COMBO.....   | 20 |
| Robin Hood ZERO.....                  | 20 |
| Rocket 11.....                        | 19 |
| <i>See also Bulk Cables, pg.50</i>    |    |
| Rocket 22.....                        | 19 |
| <i>See also Bulk Cables, pg.50</i>    |    |
| Rocket 33.....                        | 19 |
| <i>See also Bulk Cables, pg.50</i>    |    |
| Rocket 44.....                        | 19 |
| <i>See also Bulk Cables, pg.50</i>    |    |
| Rocket 88.....                        | 19 |
| <i>See also Bulk Cables, pg.50</i>    |    |
| ThunderBird BASS.....                 | 22 |
| ThunderBird BiWire COMBO.....         | 22 |
| ThunderBird ZERO.....                 | 22 |
| Type 5.....                           | 18 |
| Type 9.....                           | 18 |
| Type 9+DBS.....                       | 18 |
| William Tell BASS.....                | 21 |
| William Tell BiWire COMBO.....        | 21 |
| William Tell SILVER.....              | 21 |
| William Tell SILVER BiWire COMBO..... | 21 |
| William Tell ZERO.....                | 21 |

## Splitters

|                                         |    |
|-----------------------------------------|----|
| FLX-Mini Splitter.....                  | 29 |
| FLX-X RCA Splitter.....                 | 29 |
| <i>See also Installer Packs, pg. 56</i> |    |
| F to 3F Splitter.....                   | 45 |
| F to 4F Splitter.....                   | 45 |
| Hard RCA Splitter.....                  | 29 |

## Spool Holder

### Subwoofer Cables

|                |    |
|----------------|----|
| Black Lab..... | 30 |
| Boxer.....     | 30 |
| Greyhound..... | 30 |
| Husky.....     | 30 |
| Irish Red..... | 30 |
| Wolf.....      | 30 |

## T

|                                                     |    |
|-----------------------------------------------------|----|
| <b>Tent Card</b> .....                              | 58 |
| <b>Termination "Pants" for Speaker Cables</b> ..... | 53 |
| <b>Tonearm Cables</b>                               |    |
| Cougar.....                                         | 31 |
| LeoPard.....                                        | 31 |
| WEL Signature.....                                  | 31 |
| WildCat.....                                        | 31 |

## Tools

|                                              |        |
|----------------------------------------------|--------|
| AQ Ratchet Crimper Tool.....                 | 48     |
| Binding-Post Wrench.....                     | 48     |
| Cat6/6a/7 Crimper Tool and Die ...           | 48     |
| Cat6 Die.....                                | 48     |
| Ideal Articulated Stripper.....              | 48     |
| ITC One-Step Stripper for 18 and 24 AWG..... | 49     |
| Klein Cable Cutter.....                      | 48     |
| Klein Crimper Tool.....                      | 48     |
| Paladin Jacket Stripper.....                 | 48     |
| Rivers Interconnect Crimper Tool.....        | 48, 54 |
| Wire Stripper/Cutter/Plier Combo Tool.....   | 48     |

## Tote Bag

## T-Shirt

## Tumbler

## U

### USB Cables


|               |    |
|---------------|----|
| Carbon.....   | 38 |
| Cinnamon..... | 38 |
| Coffee.....   | 38 |
| Diamond.....  | 38 |
| Forest.....   | 38 |
| Pearl.....    | 38 |

## W

## Water Bottle

## Window Sticker





**audioquest®**

**[www.audioquest.com](http://www.audioquest.com)**

**Tel +31 165 54 1404**